

# j5create 2024 PROUDLY CONNECTED TO THE FUTURE



j5create | **CONNECTED  
TO THE FUTURE**

ASIA +886.2.2269.5533  
EUROPE +31.10.798.6117  
AMERICAS +1.888.988.0488



# WHY CHOOSE j5create?




## WE DEVELOP. WE INNOVATE. WE CREATE.

U.S. Based Customer Care  
 Made in Taiwan  
 Limited Product Warranty  
 Top-Selling Brand

j5create is a team that has come together from a diverse set of backgrounds to make technology more meaningful and inclusive. We design, build, sell, and support innovative technology.

### Worldwide safety certification




### In-house R&D and product design teams

At j5create, we create high-tech products that help improve the way we experience our everyday lives. We do this by always designing with the customers' needs in mind. We tackle issues that affect you daily and turn to technological innovation to find solutions. We're on a mission to make your life simpler, more efficient, and more productive.

### Safety and protection for your devices

- OVP (Overvoltage) Limits output voltage
- OCP (Overcurrent) Limits the current flow
- SCP (Short Circuit Protection) Protects your device against short circuits
- OTP (Over-Temperature) Regulates the internal temperature

Limited Warranty



### GLOBAL STRATEGIC LOCATIONS

j5create has strategic partnerships and locations conveniently located worldwide to streamline all of our processes including sales, support, and service. You can see a global list of where to purchase our products on our website at [www.j5create.com](http://www.j5create.com). We are always just an email, live chat or phone call away, so feel free to contact us with any questions, concerns or comments.

<b>North America</b> Sales : sales@j5create.com Support: service@j5create.com Phone:+1-888-689-4088	<b>Europe</b> Sales: sales@j5create.com Support: service@j5create.com Phone: NL   +31 (0)107 98 61 17 UK   +44-161-302-2230 ES   +34-935-22 25 76
<b>Canada</b> Sales: sales@j5create.com Support: service@j5create.com Phone: +604-265-3568	<b>Taiwan</b> Sales: Sales@j5create.com Support: service.tw@j5create.com Phone: +886.2.2269.5533

Toll Free : 888.988.0488  
 Sales : sales@j5create.com  
 Customer Service / Support: service@j5create.com

### Connected to the Future

**WORK WITH THE BEST**  
 In collaboration with the suppliers of top PC manufacturers, we create our high-performance products by using premium components and materials.

**COMMITMENT TO QUALITY**  
 From concept generation through software and hardware development, and end-product design to production, we're involved in every stage of the vertical integration process.

**MAKE AN IMPACT**  
 We aim to elevate your computing experience to be more productive, more efficient, and more convenient.

## DOCKING STATIONS

P.14-15




## CHARGERS & POWER BANKS

P.26-27



## DOCKING STATIONS & MONITOR ARMS

P.16-17



## MINI DOCKS

P.18-19



## MOBILE ACCESSORIES & CABLES

P.24-25



## ADAPTERS & MULTI HUBS

P.20-22



## NETWORKING & HUBS

P.23



## VIDEO CAPTURE

P.29




## WEBCAMS & SPEAKERPHONE

P.31-32



## DISPLAY ADAPTERS & CABLE

P.22-23



## INPUT DEVICES

P.23



## WIRELESS DISPLAY

P.33



## VIDEO CONFERENCE

P.32





**1** 4K AI Video Conference Sound Bar  
JVU480

**2** Video Conference Wireless Microphone  
JMW168A

**3** 4K 360° AI Video Conference Camera  
JVU468

**4** Video Conference Console with Dual Camera AI Tracking  
JVUC20

**5** Wireless Extender for 4K60 HDMI™ and USB™ Cameras / Microphones / Speakers  
JVAW80

## USB-C® Multi-Function HUB for iPhone®



USB-C® / A 10Gbps & SD™ Card with PD  
JCH168



Dual USB-C® 10Gbps PD  
JCH165



USB-C® 5Gbps & SD™ Card with PD  
JCH167



USB-C® to 4K HDMI™ Adapter with Power Delivery  
JCA152



4K60 Elite USB-C® 10Gbps Multi-Adapter  
JCD390



## Mini Docking Station for Smartphone



Mini Docking Station for Smartphone  
JCD622

## Microphone & Audio Adapter



### Phone Stand For Streaming

Multi-function Phone Stand for Live Streaming/ Recording/ Conferencing  
JTS228



Dual Wireless Microphone Kit with Voice Recorder  
JMW300CA



USB-C® to 3.5mm Audio Adapter with Power Delivery  
JCA122



ScreenCast USB-C® Wireless Display HDMI™ Extender  
JVAW62



USB-C® to Dual USB-C® with Video or Power Delivery  
JCA164



## ScreenCast Wireless Display



ScreenCast 4K Wireless Display Adapter  
JVAW76

## USB-C® Display Adapter



USB-C® to 4K HDMI™ Cable With PD100W Pass-Through  
JCC155G





Multi-Port  
Charger



70W GaN USB-C®  
4-Port Charger  
JUP4370

65W GaN Slim PD  
USB-C® 2-Port  
Charger  
JUP2465

65W GaN USB-C®  
3-Port Travel  
Charger  
JUP3565



40W GaN USB-C®  
2-Port Mini Charger  
JUP2540W /R /C



PD 3.1  
Charger



3-in-1 Magnetic Wireless  
Charging Station  
JUPW3215W/R/C

Qi2 3-in-1 Magnetic Wireless  
Charging Station  
JUP3415



Wireless  
Charger



185W GaN PD3.1  
USB-C® 3-Port Charger  
JUP37185

140W GaN PD3.1  
USB-C® Charger  
JUP17140



Surge Protector

6-Outlet Surge Protector  
Power Strip with 6 USB™ ports  
105W Charging Station  
JUPAC66105

6-Outlet Surge Protector  
Power Strip with 3 USB™ ports  
65W Charging Station  
JUPAC6365

3-Outlet Surge Protector  
Power Strip with 3 USB™ ports  
30W Charging Station  
JUPAC3330



High Wattage  
Charging

26800mAh PD 100W  
4-Port Power Bank  
JPB264100

200W GaN PD3.1  
USB-C® 6-Port Charger  
JUP67200



## USB4® Triple 4K Display Docking Station

Featuring Intel® USB4® 40Gbps Controller

**JCD554**

### Features

- Includes the latest Intel® USB4® controller ensuring industry-leading quality
- Supports up to three (MST) 4K displays.
- Provides 4 USB™ ports to offer connectivity and performance: USB-C® 10Gbps with DP™ Alt Mode x 1, USB™ Type-A 10Gbps x 2, and USB™ Type-A 2.0 x 1
- Integrated Gigabit Ethernet port, SD™ 4.0 card reader, audio combo, and up to 85W of pass-through charging
- Compatible with Windows® and macOS®



## Thunderbolt™ 4 Quad Display Docking Station

Intel® Thunderbolt™ 4 certified

**JTD568**

### Features

- Providing the ultimate connectivity for Thunderbolt™ 4 laptops
  - Intel® Thunderbolt™ 4 certified for proven reliability and compatibility
  - Supports up to quad/triple 4K@60Hz displays, dual 5K@60Hz displays, or single 8K@60Hz display with crystal clear image quality
  - Supports 2.5G Ethernet, USB™ 3.2 10Gbps, and SD™ 4.0 card reader. Provides ultra-high performance.
  - Perfect for MacBook® and Windows® laptops that support Thunderbolt™ 4
  - Offers up to 98W PD charging
- System Requirements**
- Available Thunderbolt™ 4 port.



## Thunderbolt™ 5 Dual 8K60 Display Docking Station

**JTD5172**

### Features

- This Thunderbolt™ 5 docking station supports a bandwidth of 80G/120G.
- Supports PD 3.1 140W charging
- Supports Single 8K144Hz or Dual 8K60 / 4K240Hz display
- Supports PCIe 4.0 NVMe M.2 SSD

### Specifications

- Thunderbolt™ 5 x 3
- USB™ Type-A 10 Gbps x 2
- USB™ Type-A 5 Gbps x 2
- SD™/microSD™ 4.0 card reader x 1
- RJ45 2.5 Gigabit Ethernet x 1
- M.2 PCIe 4.0 SSD slot x 1
- 3.5 mm combo audio jack x 1
- PD 3.1 140W charging



	USB4®	Thunderbolt™ 4	Thunderbolt™ 5
Maximum Bandwidth	40Gbps	40Gbps	120Gbps
Display Output (max)	4K60 x 2	4K60 x 2	8K120 x 2 or 4K144 x 3
Power Delivery	100W	100W	240W
Daisy Chain	✗	✓	✓



## Take Your Streaming Production To the Next Level

### HDMI™ 2.1 8K Splitter 1 In 2 Out JDSH812

- Input: 1\*HDMI™ 2.1, 8K@60Hz / 4K@120Hz / 2K@240Hz
- Output: 2\*HDMI™ 2.1, 8K@60Hz / 4K@120Hz / 2K@240Hz
- Power: 1\*USB-C®, 5V/1A included in the box
- LED: Blue light indicates video signal
- HDCP: HDCP 2.2/2.3 and HDCP 1.4
- HDR : HDR 10 / HDR 10+ / Dolby Vision / HLG
- Supports Variable Refresh Rate (VRR), Free Sync, G-Sync
- Supports ALLM (Auto Low Latency Mode)
- Audio: DTS-HD/Dolby-true HD /LPCM7.1/DTS/Dolby-AC3/DSD
- Compatible with PS5, Xbox Series X, Apple TV



### HDMI™ 2.1 8K Splitter 1 In 4 Out JDSH814

- Input: 1\*HDMI™ 2.1, 8K@60Hz / 4K@120Hz / 2K@240Hz
- Output: 2\*HDMI™ 2.1, 8K@60Hz / 4K@120Hz / 2K@240Hz
- Power: 1\*DC, 5V/2A indicates in the box
- LED: White light indicates power status/Blue light indicates video signal
- Button: Video signal on/off
- HDCP: HDCP 2.2/2.3 and HDCP 1.4
- HDR : HDR 10 / HDR 10+ / Dolby Vision / HLG



### HDMI™ 2.1 4K Game Capture Station JVA44

- USB™ 3.2 Gen 2 4K@60 raw data capture box
- Supports HDMI™ 2.1 input up to 4K@144Hz HDR / 2560 x 1440 @144Hz / 1920 x 1080@240Hz and pass through
- Captures video up to 4K@60 / 1440p@120 / 1080p@120 / 4K@30
- Supports various resolutions with downscaling & upscaling
- Supports HDMI™ audio / Mic in with separate UAC and Headphone out UAC
- Supports HDR/VRR
- UVC driver compatible



### Quad HDMI™ Video Capture Station JVA08

- 4 HDMI™ inputs for capture with 5 modes
- Full HD video and audio high performance record/playback through USB-C® 3.2 Gen 1
- Uncompressed 1080p 60 Hz capture via HDMI™
- Supports 1080p 60 Hz HDMI™ loop out (PGM out)
- 5-screen modes (one source/PIP/PBP/Quad View[1+3]/Quad View)
- 5 buttons to quickly change display settings
- Automatically remembers previous settings
- 5 volume control knobs for individual volume control on 4 HDMI™ and analog 3.5mm ports
- Easy DSLR attachment with 2 cold shoes embedded
- UVC standard, plug & play



### Wireless Extender for 4K60 HDMI™ and USB™ Cameras / Microphones / Speakers JVAW80

- Turn ANY wired 4K60 HDMI™ and USB™ webcam into a wireless one for large meeting rooms, home office, or streaming
- Provides support for USB™ cameras with microphones/speakers
- Compatible with webcams that have a built-in microphone; transmits video and audio wirelessly
- Wireless transmission distance can reach up to 25 meters with a clear line of sight
- Built-in 5 GHz wireless ensures a stable video connection and smooth streaming experience
- USB™ cameras support resolutions up to 1080p@30 in MJPEG format, and 1080p@60 and 4K@30 in H.264 format
- Transmitter/ Receiver HDMI™ 2.0 & HDCP2.2, supports 4K60 streaming
- Compatible with Windows®, macOS®, Chrome OS™



### iOS®/iPadOS® x Windows® JCH422

### Windows® x Windows® JCH462



#### CROSS-DROP

- Supports wireless file transfer. Easily transfer between iPhone®/iPad® and PC laptop. (JCH422)
- Keyboard, mouse, and clipboard sharing between two computers. (JCH462)



#### CROSS-DESKTOP

- Supports Duplicate (iPhone®/iPad® to windows®) and Extend (Windows® to iPhone®/iPad®) modes on the 2nd Display
- Supports Picture-in-Picture window (PIP). PIP window is movable and resizable
- Screen will rotate and resize automatically



#### CROSS-TOUCH

- Supports Virtual Multi-Touch and Pen when the other computer is a tablet
- Supports gesture function from Windows® OS
- Supports handwriting, pen pressure (1024 levels), pen tilt and side-button on pen (such as the eraser or selection function)
- Easy-to-use markup tool, allows you to add markups directly on your screen.

#### HUB PORTS


- JCH422: USB™ Type-A 5Gbps x 1 and USB-C® 5Gbps x 1
- JCH462: USB™ Type-A 5Gbps x 2 and USB-C® 5Gbps x 1



# Docking Stations


## USB4® Triple 4K Display Docking Station

JCD554 Featuring Intel® USB4® 40Gbps Controller




## Thunderbolt™ 4 Quad Display Docking Station

JTD568



## Thunderbolt™ 4 Docking Station

JTD562




## USB-C® Dock Dual 4K HDMI™ with PD 3.1 Pass Through Charging


JCD3199



Includes 140W GaN PD3.1 Power Adapter




JCD3199P




## Type-C Dock Dual 4K HDMI™

JCD3198



## USB-C® Triple Display Docking Station

JCD543




Includes 100W PD Adapter

JCD543P



## M.2 NVMe® USB-C® Gen 2 Docking Station

JCD552




Includes 100W PD Adapter

JCD552P



## USB-C® Dual HDMI™ Docking Station

JCD542



# Monitor Mount

## Ergonomic Dual-Monitor Mount

### JTSA102 Dual Mount



### JTSA302 with Docking Station




## Ergonomic Monitor Mount

### JTSA101 Single Mount




### JTSA301 with Docking Station



## Ergonomic Dual Monitor Mount

### JTSA482 with Thunderbolt™ 4 Dock


- Fully adjustable gas spring dual monitor mount with Thunderbolt™ 4 Dock
- Easily adjusts monitors to any height and allows the monitors to swivel 180°, tilt -45° to +90° and rotate 360°. Conveniently set your monitors at optimal angles.



## Laptop Stand with Dock

## Multi-Angle Laptop Stand

### JT5127 Stand Only



### JT5127 Docking Stand




### JT5427 Dual HDMI™ Docking Stand



## Multi-Angle Stand with

### JT5224 Docking Station for iPad Pro®



## Laptop Stand with

### JT5223 USB™ 4-Port Hub



# Mini Docks




Featuring Intel® USB4® Controller

## USB4® Dual 4K Multi-Port Hub

**JCD404** 6-in-1 Functions  
Multi-Port USB-C®




130W  
PD 3.1



**JCD405** 6-in-1 Functions  
Dual HDMI™



130W  
PD 3.1



**JCD401** 5-in-1 Functions  
DisplayPort™ & HDMI™



Made for MacBook®

## USB-C® 6K Premium Hub

Designed for MacBook Air® M2


**JCD394** 9-in-1 Functions  
USB4® modular kit



## 4K60 Pro USB4® Hub with MagSafe® Kit

Designed for MacBook Pro® 2021 / 2022 / 2023 and MacBook Air®(2022)

**JCD395** 8-in-1 Functions



4K60 & 10Gbps Gen 2

## USB-C® 10Gbps JCD393 Mini Dock

9-in-1 Functions



## USB-C® Triple-Monitor JCD397 10Gbps Mini Dock

11-in-1 Functions




## USB-C® Dual 4K HDMI™ JCD398 10Gbps Mini Dock

7-in-1 Functions



## 8K USB4® Travel Hub JCH453

5-in-1 Functions



## 4K60 Elite USB-C® JCD3191 Travel Adapter

5-in-1 Functions



## 4K60 Elite USB-C® JCD390 Multi-Adapter


7-in-1 Functions



Made for specific devices

## Mini Docking Station JCD620 for Nintendo Switch™

4-in-1 Functions




## USB-C® PD Multi-Port JCD391 Adapter

5-in-1 Functions



## USB-C® to 4K 60Hz HDMI™ JCD612 Travel Dock for iPad Pro®

5-in-1 Functions



**eco FRIENDLY**  
**USB-C®**  
 Multi-Port Hub with Power Delivery

- USB™ 5Gbps
- 4K@30
- 100W PD Charging

Recycled Material Sustainable Packaging Caring For The Earth



ITE-derived Post-Consumer Recycled Plastic  
 Recycled Post-Consumer Polyester



**USB-C® Multi-Port Hub**  
**JCD373E** with Power Delivery  
**7-in-1** Functions



- 4K30 HDMI™
- USB™ Type-A 5 Gbps
- USB-C\*
- SD™ & microSD™ 3.0
- Mic / Speaker

**USB-C® to HDMI™ & USB™ Type-A**  
**JCA379E** with Power Delivery  
**3-in-1** Functions



- 4K30 HDMI™
- USB™ Type-A 5 Gbps
- USB-C\*

— JCH342ER — — JCH342EW — — JCH342EC —




Cloud White JCH345EW  
 Ocean Blue JCH345EC  
 Earth Rose JCH345ER



**USB-C® to 4K HDMI™**  
**JCA152** Adapter with Power Delivery




**USB-C® to 3.5mm Audio**  
**JCA122** Adapter with Power Delivery



**USB-C® to USB-C® Video**  
**JCA164** with USB-C® 100W Power Delivery



**USB-C® to HDMI™ 4K144Hz & USB™ 3.2**  
**JCA399** with 100W Power Delivery



- 4K @ 144 Hz HDMI™
- USB-C\*
- USB™ Type-A 5 Gbps

**USB-C® Premium Aluminum Multi-Port Hub**  
**JCA399G** Adapter with 4K144Hz HDMI™




- 4K @ 144 Hz HDMI™
- USB-C\*
- USB™ Type-A 10Gbps

**USB-C® to 4K HDMI™**  
**JCD353** Multi-Port Hub  
**6-in-1** Functions



- 4K HDMI™
- USB™ Type-A 5Gbps
- USB-C\*
- SD™ & microSD™ 3.0

**USB-C® 3.1 SuperSpeed+**  
**JCD372** Multi-Adapter  
**5-in-1** Functions




- 4K30 HDMI™
- USB™ Type-A 10Gbps
- SD™ & microSD™ 3.0
- 10 Gbps

**USB-C® Multi Adapter**  
**JCD383**  
**9-in-1** Functions




- 4K HDMI™
- USB™ Type-A 5Gbps
- Gigabit Ethernet
- USB-C\*
- SD™/microSD™

**USB-C® Multi Adapter**  
**JCD384**  
**10-in-1** Functions



- 4K HDMI™
- USB™ Type-A 5Gbps
- Gigabit Ethernet
- USB-C\*
- SD™/microSD™
- VGA

**USB-C® Multi-Adapter**  
**JCA374**  
**5-in-1** Functions



- 4K HDMI™
- USB™ Type-A 5Gbps
- Gigabit Ethernet
- USB-C\*

**USB-C® Dual HDMI™**  
**JCD381** Mini Dock  
**6-in-1** Functions



- HDMI™
- USB™ Type-A 5Gbps
- Gigabit Ethernet
- USB-C\*

# Display Adapters & Cables



## USB-C®

**USB-C® to HDMI™ 2.1  
8K Adapter**  
JCA157



**USB-C® to HDMI™ 2.1  
8K Cable**  
JCC157




**8K USB-C® to Dual HDMI™  
Display Adapter**  
JCA465



**8K USB-C® to HDMI™ / DP™  
Triple Display Adapter**  
JCA461



**USB-C® Display Adapters & Cables**  
JCC155G



**USB-C® to 4K HDMI™  
Adapter** JCA153G

**USB-C® to 4K HDMI™  
Cable** JCC153G

**USB-C® to 4K DisplayPort™ Cable**  
JCA141



**USB-C® to Dual HDMI™  
Multi-Monitor Adapter**  
JCA365



**USB-C® to 4-Port HDMI™  
Multi-Monitor Adapter**  
JCA366



## Monitor Display Cables

**16K DisplayPort™ Cable**  
JDC44L16



**8K / 4K DisplayPort™  
Cable**

**JDC43L30**

\* DisplayPort™ v1.4 HBR3 certified  
\* Resolutions up to 8K @ 60 Hz  
\* Length: 3m (JDC43L30)

**JDC43L10**

\* DisplayPort™ v1.4 HBR3 certified  
\* Resolutions up to 8K @ 60 Hz  
\* Length: 1m (JDC43L10)

**JDC42**

\* DisplayPort™ 1.2 certified  
\* Resolutions up to 4K @ 60 Hz  
\* Length: 1.8m



**Ultra High Speed HDMI® /™  
Cable**

**JDC53L30**

\* Resolutions up to 8K @ 60 Hz  
\* Length: 3m (JDC53L30)

**JDC53L10**

\* Resolutions up to 8K @ 60 Hz  
\* Length: 1m (JDC53L10)



**Premium High Speed  
HDMI® /™ Cable**

**JDC52**

\* HDMI™ PREMIUM Certified  
\* Resolutions up to 4K @ 60 Hz  
\* Ethernet & audio return channel  
\* Length: 2m



## Ethernet Adapter | USB-C®

**USB-C® to 2.5G  
Ethernet Adapter**  
JCE145C



**USB-C® to 2.5 Gigabit  
Ethernet Adapter**  
JCE145



**USB-C® to Gigabit  
Ethernet Adapter**  
JCE133G



**USB-C®  
7-Port HUB**  
JCH377



**USB-C®  
Multi-Adapter**  
JCH471



## Keyboard, Mice, Stylus

**USI Stylus Pen for Chromebook™**  
JITP100




**Compact Wireless Keyboard & Mouse for Chrome OS™**  
JIKBW602



## Mobile



**USB-C® 60W Cable JUCX17 | W/R/C/P**  
Liquid Silicone Fast Charging Cable (100 cm / 3.3 ft)



**USB-C® 60W Cable JUCX18L18 | W/R/C**  
Ultra Soft Double-Braided Fast Charging Cable (180 cm / 5.9 ft)



**USB-C® 10Gbps/60W Ultra Soft Double-Braided JUCX19 | W/B Fast Charging Cable**  
Ultra Soft Double-Braided Fast Charging Cable (120 cm / 3.9 ft)



**USB-C® Dynamic Power Meter Charging Cable JUCP14**



**6-in-1 Meter**

Direction | Amp | Voltage  
mA·h | Timer | Watt



## Laptop

**USB4® 40Gbps Full-Featured USB-C® Coaxial Cable JUCX27L12**  
(1.2m/3.9ft.) 40Gbps/5A



**Full-Featured USB-C® Cable (USB4® Gen 3) JUC28L08**  
(0.8m) 40Gbps/5A



**USB™ 40Gbps 240W USB Type-C® Cable JUC29L08**  
(0.8m) 40Gbps/5A



**USB-C® to USB-C® Sync & Charge Cable JUCX24/JUCX24L30**  
(1.8m / 5.9 ft.) / (3m / 9.8 ft.) 480 Mbps/3A



**USB-C® 100W Sync & Charge Cable JUCX25L18/JUCX25L30**  
(1.8m / 5.9 ft.) / (3m / 9.8 ft.) 480 Mbps/5A



**10Gbps USB™ Type-A to USB-C® Adapter JUCX45**



**10Gbps USB™ Type-A to USB-C® Cable JUCX35**  
(10 cm / 4 in.)



**USB-C® 3.1 to Type-A Adapter JUCX05**  
(10 cm / 4 in.) 5Gbps/1.5A



## Laptop

wormhole switch

**File Sharing Between Mac® and PC**



Model	JUC501	JUC500	JUC400
Interface	USB™ 3.0 A+C	USB™ 3.0	USB™ 2.0
Operating system	Windows® to Windows® Windows® to Mac® Mac® to Mac®	Windows® to Windows® Windows® to Mac® Mac® to Mac®	Windows® to Windows® Windows® to Mac® Mac® to Mac®
Functions for the keyboard and mouse sharing			
Keyboard and mouse sharing between two devices	Yes	Yes	Yes
Hotkey Switch [Alt+S]	Yes	Yes	Yes
Keyboard sharing	Yes	Yes	Yes
Clipboard sharing	Yes	Yes	Yes
Text sharing	Yes	Yes	Yes
Photo sharing	Yes	Yes	Yes
Data transfer	Yes	Yes	Yes
Duplicate / Paste	Yes	Yes	Yes
Drag and Drop	Yes	Yes	Yes
Data transfer management software (File Shuttle)	Yes	Yes	Yes

# Chargers

## Wireless Chargers

### Qi2 MagSafe® 15W Wireless Charging Stand

Suitable for iPhone® MagSafe®

**JUPW1207NP**



### Qi2 3-in-1 Magnetic Wireless Charging Station

**JUPW3215**



### Qi2 3-in-1 Magnetic Wireless Charging Station

**JUPW3415**



### Wood Grain 2-in-1 Magnetic Wireless Charging Stand

For iPhone® MagSafe® and AirPods®

**JUPW2106NP**



**JUPW2106**  
20W USB-C®  
Power Adapter Included



## Wall Chargers

### 130W GaN USB-C® 4-Port Charger

**JUP43130**

**GaN**



**JUP43130V**



### 65W GaN USB-C® 3-Port Travel Charger

**JUP3565CV**

**GaN**



### 65W GaN Slim PD USB-C® 2-Port Charger

**JUP2465**

**GaN**



### 67W GaN USB-C® 2-Port Charger

**JUP2367**

**GaN**



### 70W GaN USB-C® 4-Port Charger

**JUP4370**

**GaN**



**JUP4370V**



### 40W GaN USB-C® 2-Port Mini Charger

**JUP2540W/R/C**

**GaN**



**JUP2540WC/RC/CC**



### 65W GaN USB-C® 3-Port Charger

**JUP3365**

**GaN**



### 20W 1-Port

**JUP1420**

**CERTIFIED USB CHARGER 20W**



## Laptop Chargers

### 67W GaN PD USB-C® Mini Charger

**JUP1565N**

**GaN** USB-C®

Includes 4.5mm DC Converter

**JUP1565**



**JUP1565DC**

**GaN** USB-C®



### 102W GaN PD USB-C® 2-Port Charger

**JUP25102**

**GaN** USB-C®



**JUP25102V**



## Laptop Super Chargers

### 100W PD USB-C® Super Charger

**JUP2290**



**100W PD**

USB™ Type-A USB-C®



### 100W Super Charger

PD 90W + USB™ Type-A 10W

**JUP2290C**



USB™ Type-A USB-C®

### 100W PD USB-C® Super Charger with 6 Types of DC Connectors

**JUP2290DC**



### 65W PD USB-C® Charger

**JUP1265**

USB-C®



### 108W PD USB-C® Super Charger

**JUP34108**

USB™ Type-A USB-C®



### 140W GaN PD3.1 USB-C® Charger

**JUP17140**

**GaN**

PD 3.1



### 185W GaN PD3.1 USB-C® 3-Port Charger

**JUP37185**

**GaN**

**JUP37185W**

USB™ Type-A USB-C® PD 3.1



# Smart Surge Protectors



**6-Outlet Surge Protector Power Strip with 3-Port USB™ 65W Charging Station**  
**JUPAC6365**

GaN



**3-Outlet Surge Protector Power Strip with 3-Port USB™ 30W Charging Station**  
**JUPAC3330**

GaN



## Matter Certified Smart Power Strip

**4-Outlet Surge Protector Power Strip with 4-Port USB™ 20W Charging Station**  
**JSPAC4420**

GaN



**Smart Plug**  
**JSPAC100**

GaN



**USB-C® Pocket Power Bank**  
**JPB5220**



**Charging Station for JPB5220**  
**JPB5220S**



**200W GaN PD3.1 USB-C® 6-Port Charger**  
**JUP67200**

GaN



**26800mAh PD 100W 4-Port Power Bank**  
**JPB264100**



**26800mAh PD65W 4-Port Power Bank**  
**JPB26465**







**Quad HDMI™ Video Capture Station**  
**JVA08**

**4K HDMI™ Capture Adapter**  
**JVA11**

**4K60 Game Capture Station**  
**JVA34**

**Dual HDMI™ Video Capture**  
**JVA06 EFP**

**Video Capture USB™ Hub**  
**JVA01**

**Live Capture Adapter**  
**JVA02**



**2K AI-Powered Webcam with Wireless Microphone**  
**JVU300**

- Webcam / Document Camera
- Auto/ Manual Focus
- 1440p 60fps Quad High Definition
- 1080p 60fps High Definition
- USB-C/ USB™ Type-A
- 9:16 vertical view shooting
- AI Tracking
- Tripod-ready Mount

**USB™ 4K ULTRA HD Webcam**  
**JVU430**

- 4K 30 Resolution
- 1080p 60 Resolution
- Privacy Cover
- F/2.0 APERTURE Low Light Enhancement
- Built-in Microphone



**USB™ 4K ULTRA HD Webcam with 5x Digital Zoom Remote Control**  
**Model: JVCU435**

- 4K 30 Resolution
- Privacy Cover
- F/1.6 APERTURE Low Light Enhancement
- 5X Digital Zoom
- Built-in Microphone

**HD Webcam with Auto & Manual Focus Switch**  
**JVU250**




- 2-in-1 Webcam / Document Camera
- Auto/Manual Focus
- 1080p Resolution
- Tripod-ready Mount
- USB-C/ USB™ Type-A

**USB™ HD Webcam**  
**Model: JVCU100**



- 1080p Resolution
- F/2.4 APERTURE Low Light Enhancement
- H.264 Hardware Acceleration
- Built-in Microphone



## 4K 360° AI Video Conference Camera JVU468

- 360° video conference camera
- Built-in omnidirectional microphone
- Advanced Acoustic Echo Cancellation (AEC) technology
- Automatic Gain Control (AGC) function
- Automatic Noise Reduction (ANR) reduces unwanted background noise
- 5W clear speaker
- Five display modes deliver exceptional viewing angles with flexibility and versatility.
- Adjustable fields of view
- 4K video playback @ 30 Hz
- USB™ UVC/UAC plug-and-play
- Supports IR function and IR controller
- Includes remote control for 4x digital zoom in/out and pan functionality
- Supports HDR Function
- Wide Compatibility: Zoom™, Facebook™ Messenger, Skype™, Microsoft Teams™



## Video Conference Wireless Microphone JMW168A



## 360° AI-Powered Webcam with Speakerphone JVU368

- Smart Tracking / Auto Framing
- Native AI Plug & Play
- Compatible with Windows® and Mac®
- HDR Vivid Video with HDR Supports
- Crystal Clear Audio
- 1** ONE-STOP Solution for Video Conference



## 360° All Around Webcam Model: JVCU360

- 1080p Resolution
- Six Display Modes
- Host Selection Touch Control



## USB-C® Dual 4K Speakerphone Dock Pro JCDS337

- Built-in Speaker and Microphones
- MST Dual 4K60 HDMI™
- USB™ Type-A 10Gbps
- USB-C® 10Gbps
- Power Delivery



## USB-C® 4K Speakerphone Dock JCDS335

- Built-in Speaker and Microphones
- 4K60 HDMI™
- USB™ Type-A 5Gbps
- USB-C® 5Gbps
- Power Delivery



## 4K Wireless Display USB-C® / HDMI™ Extender JVAW82

## ScreenCast Wireless Display Adapter JVAW56

- 1080p Resolution



## USB-C® Wireless Display HDMI™ Extender JVAW62

- 1080p Resolution



## Wireless Display Adapter JVAW76 4K

- 4K Resolution



## Wireless Display HDMI™ Extender JVAW75 4K

- 4K Resolution



## Wireless Display HDMI™ Extender JVAW53



- 1080p 60 Resolution
- Ultra-Low Latency
- Up to 200ft (60m)

## Wireless Extender 4K60 HDMI™ Transmitter and Receiver JVAW83 4K



- 4K 60 Resolution

## Wireless Display HDMI™ & USB™ Extender JVAW50



- 1080p 60 Resolution
- Ultra-Low Latency
- Up to 200ft (60m)

## Wireless Extender for USB™ Cameras / Microphones / Speakers JWV120



- 5 GHz Stable Connection
- Low-latency
- Up to 25m (82 ft)
- Supports USB™ microphones & speaker

# Docking Stations

## Docking Station Comparison










					
Model No.	JCD554	JCD552	JCD543	JCD542	JCD533
Name	USB4® Triple 4K Display Docking Station	M.2 NVMe™ USB-C® Gen 2 Docking Station	USB-C® Triple Display Docking Station	USB-C® Dual HDMI™ Docking Station	USB-C® 4K HDMI™ Docking Station with Power Delivery
Features	USB4®, 12-in-1 Functions, Triple 4K60 Display	11-in-1 Functions M.2 NVMe™, Dual 4K60	13-in-1 Functions Triple Display	10-in-1 Functions Dual Display	9-in-1 Functions Single Display
Display	4K60 HDMI™ x 2 4K60 DisplayPort™ x 1 4K60 USB-C® (DP™-Alt) x 1	4K60 HDMI™ x 1 4K60 DisplayPort™ x 1	4K HDMI™ x 1 4K DisplayPort™ / HDMI™ x 1 1080p VGA x 1	4K HDMI™ x 1 2K HDMI™ x 1	4K HDMI™ x 1
M.2 NVMe™		M.2 NVMe™ SSD Slot x 1			
USB™ Type-A	10Gbps x 2, USB™ 2.0 x 1	10Gbps x 2 5Gbps x 1	5Gbps x 2 5Gbps with BC 1.2 x 1	5Gbps x 3	5Gbps x 3
USB-C®	10Gbps with DP™-Alt mode x1	10Gbps x 1	5Gbps x 1		
Ethernet	●	●	●	●	●
SD™ & microSD™	4.0	3.0	3.0	3.0	3.0
PD Pass Through	●	●	●	●	●
Audio	3.5 mm Combo Audio Jack		3.5 mm Combo Audio Jack	3.5 mm Combo Audio Jack	3.5 mm Combo Audio Jack
Security Lock	●	●		●	●

# Mini Docks

## 4K60 Elite Mini Dock Comparison



							
Model No.	JCD403	JCD401	JCD3191	JCD398	JCD397	JCD393	JCD392
Name	USB4® 8K Multi-Port Hub	USB4® Dual 4K Multi-Port Hub	4K60 Elite USB-C® Travel Adapter	USB-C® Dual 4K HDMI™ 10Gbps Mini Dock	USB-C® Triple-Monitor 10Gbps Mini Dock	USB-C® 10Gbps Mini Dock	USB-C® 10Gbps Travel Dock
Features	USB4®, 6-in-1 Functions 8K60/4K144 Display	USB4®, 5-in-1 Functions Dual 4K Display	Supports PD 3.1, 5-in-1 Functions 4K60 Display	7-in-1 Functions Dual 4K Display	11-in-1 Functions MST Triple 4K Display SuperSpeed+ 10Gbps	9-in-1 Functions 4K60, SuperSpeed + 10 Gbps	6-in-1 Functions 4K60, SuperSpeed +10Gbps
Display	8K60/4K144 HDMI™	4K60 HDMI™ x 1 4K60 DisplayPort™ x 1 4K60 USB-C® (DP™-Alt) x 1	4K60 HDMI™	4K60 HDMI™ x 1 4K30 HDMI™ x 1	4K60 HDMI™ x 2 4K60 DisplayPort™ x 1	4K60 HDMI™ x 1	4K60 HDMI™ x 1
USB™ Type-A	10Gbps x 2	10Gbps x1	10Gbps x 2	10Gbps x 2	10Gbps x 2	10Gbps x 2	10Gbps x 2
USB-C®	10Gbps x 1	10Gbps with DP™-Alt Mode x1		10Gbps x 1 5Gbps with PD Pass Through x 1	10Gbps x 1 5Gbps with PD Pass Through x 1	10Gbps x 1 5Gbps with PD Pass Through x 1	10Gbps with PD Pass Through x 1
Ethernet	● 2.5 Gigabit		●	●	●	●	●
SD™ & microSD™					●	●	
PD Pass Through	●	●	● PD 3.1 140W	●	●	●	●
Audio				3.5 mm Combo Audio Jack			

# Charger

## Power Bank Comparison










Model No.	JUP67200	JUP37185	JUP43130	JUP25102V	JUP4370	JUP1565	JUP2367
Name	200W GaN PD3.1 USB-C® 6-Port Charger	185W GaN PD 3.1 USB-C® 3-Port Charger	130W GaN USB-C® 4-Port Charger	102W GaN PD USB-C® 2-Port Charger	70W GaN USB-C® 4-Port Charger	67W GaN PD USB-C® Mini Charger with 4.5 mm DC Converter	67W GaN USB-C® 2-Port Charger
PD	PD 3.1	PD 3.1	PD 3.0	PD 3.0	PD 3.0	PD 3.0	PD 3.0
Watt (Max)	200W	185W	130W	102W	70W	67W	67W
Output Port	6	3	4	2	4	1 (Cable)	2
GaN	●	●	●	●	●	●	●
USB-C® Output	USB-C® 1 / 2: PD 140W Max USB-C® 3: PD 45W Max USB-C® 4: PD 20W Max	USB-C® 1: PD 140W Max USB-C® 2: PD 45W Max	USB-C® 1 / 2: PD 100W Max USB-C® 3: PD 20W Max USB-C® 1 + 2: 130W Max	USB-C® 1 (Cable): PD 100W Max USB-C® 2 (Port): PD 20W Max USB-C® 1 + 2: 102W Max	USB-C® 1: PD 70W Max USB-C® 2 / 3: PD 20W Max	67W via USB-C® Cable	USB-C® 1: PD 67W Max
Type-A Output	USB™ Type-A 1 / 2: QC™ 18W Max	12W Max	QC™ 18W Max		QC™ 18W Max		QC™ 18W Max.
Detachable	US Power Cord	US Power Cord, USB-C® PD 3.1 240W Charging Cable (100 cm)	AC Plugs (Optional)	AC plugs	AC Plugs (Optional)		
Size	118x52.5x52.7 mm	28x141.8x68 mm	87x68x32mm	68.5x68x33 mm	60x31x57mm	31.2x50.6x56.6 mm	29x57.5x49 mm
Suitable for							




					Model No.			
	JUP3565CV	JUP2465	JUP2540	JUP2440	Model No.	JPB264100	JPB26465	JPB5220
Name	65W GaN USB-C® 3-Port Travel Charger with Changeable AC Plugs and USB-C® Cable	65W GaN Slim PD USB-C® 2-Port Charger	40W GaN USB-C® 2-Port Mini Charger	40W USB-C® 2-Port Charger	Name	26800mAh PD 100W 4-Port Power Bank	26800mAh PD 65W 4-Port Power Bank	USB-C® Pocket Power Bank
PD	PD 3.0	PD 3.0	PD 3.0	PD 3.0	Watt (Max)	100W	65W	20W
Watt (Max)	65W	65W	40W	40W	mAh	26800 mAh	26800 mAh	4900 mAh
Output Port	3	2	2	2	Output Port	4	4	2
GaN	●	●	●	●	USB-C® Output	USB-C® 1: 100W Max USB-C® 2: 45W Max	USB-C® 1: PD 65W Max USB-C® 2: PD 27W Max	USB-C® Connector /Port: PD 20W Max USB-C® Connector + Port: 15W Max
USB-C® Output	USB-C® 1 / 2: PD 65W Max	USB-C® 1: PD 20W Max USB-C® 2: PD 65W Max USB-C® 1 + 2: 65W Max	USB-C® 1 / 2: PD 40W/PPS 33W USB-C® 1 + 2: 40W Max	USB-C® 1 / 2: PD 20W Max USB-C® 1 + 2: 40W Max	Type-A Output	USB™ Type-A 1: QC™ 18W Max USB™ Type-A 2: 18W Max	USB™ Type-A 1: QC™ 18W Max USB™ Type-A 2: 15W Max	
Type-A Output	QC™ 30W Max				Detachable	100W USB-C® Cable (100 cm)	60W USB-C® Cable (30 cm)	
Detachable	AC Plugs		USB-C® 60W Ultra Soft Double-Braided Fast Charging Cable (JUCX-18L18)		Size	118x76x48 mm	112.8x70.3x42 mm	25x78.5x46 mm
Size	59.57x57.15x31 mm	86x47x19 mm	45x30x44.8 mm	31x51.5x51.5 mm	Suitable for			
Suitable for								

# Charger

## Power Bank Comparison



					
<b>Model No.</b>	JUCX24 /JUCX24L30	JUCX25L18 /JUCX25L30	JUCX27L12	JUC28L08	JUC29L08
<b>Certification</b>					
<b>Max Data Transfer Rate</b>	480 Mbps	480 Mbps	40Gbps	40Gbps	40Gbps
<b>Max Resolution</b>			7860 x 4320 @ 60 Hz	7860 x 4320 @ 60 Hz	7860 x 4320 @ 60 Hz
<b>Max Wattage</b>	60W	100W	100W	100W	240W
<b>E-Marker</b>		●	●	●	●
<b>Material</b>	Braided Polyester	Braided Polyester	Braided Polyester	TPE	TPE
<b>Length</b>	5.9 ft (180 cm) / 9.8 ft (300 cm)	5.9 ft (180 cm) / 9.8 ft (300 cm)	3.9 ft (120 cm)	2.6 ft (80 cm)	2.6 ft (80 cm)
<b>Color</b>	●	●	●	●	●


			
<b>Model No.</b>	JUCX17	JUCX18L18	JUCX19L12
<b>Max Data Transfer Rate</b>	480 Mbps	480 Mbps	10Gbps
<b>Max Resolution</b>			3840 x 2160 @ 60 Hz
<b>PD Charging</b>	60W	60W	60W
<b>Cable Jacket Type</b>	Ultra-Soft Silicone Gel	TPE with Braided Polyester	TPE with Braided Polyester
<b>Length</b>	3.28 ft (100 cm)	5.9 ft (180 cm)	3.9 ft (120 cm)
<b>Color</b>	○ ● ● ●	○ ● ●	○ ●

# Video Capture

## Video Capture Comparison

# Webcams

## Webcam Comparison



Model No.	JVA01	JVA06	JVA08	JVA11	JVA14	JVA34	JVA44
<b>Features</b>	A Unique USB-C® Hub With Video Capture Functionality	Capture 2 Channels Simultaneously	Easily Switch Between 3 Different Audio Modes	A Compact 4K Capture Device	4K Gaming/Live Capture Station	4K Gaming/Live Capture Station Video Pass Through up to 4K@120Hz	4K Gaming/Live Capture Station Video Pass Through up to 4K@144 HDR
<b>Video Capture</b>	1080p30 fps	1080p60 fps	1080p60 fps	4K30 fps 1440p60 fps 1080p120 fps	4K30 fps 1440p60 fps 1080p120 fps	4K60 fps 4K30 fps 1440p60 fps 1080p120 fps	4K60 fps 4K30 fps 1440p120 fps 1080p120 fps
<b>HDMI™ Input</b>	1	2	4	1	1	1	1
<b>Video Pass Through</b>		1080p60 Hz			4K60 Hz HDR 1440p144 Hz HDR 1080p240 Hz HDR	4K120 Hz 1440p144 Hz 1080p240 Hz	4K144Hz HDR 1440p144Hz HDR 1080p240Hz HDR
<b>PD Pass Through</b>	60W	60W	N/A	N/A	60W	60W	N/A
<b>HDMI™ Display</b>	USB-C® Display: 4K @ 30						

Model No.	Model: JVU250	Model: JVU300	Model: JVU430	Model: JVCU435	Model: JVCU360	Model: JVU368
<b>Features</b>	Conference/ Document Webcam With Auto/Manual Focus	AI-Powered Webcam with Wireless Mic	4K ULTRA HD Webcam	4K ULTRA HD Webcam with 5x Digital Zoom Remote Control	360° All Around Webcam	360° All Around Webcam with Speakerphone
<b>Resolution</b>	1080p30 Hz	1440p60 Hz	4K30 Hz 1080p60 Hz	4K30 Hz	1080p30 Hz	1080p30 Hz
<b>AI</b>		Smart Tracking Auto Framing				Smart Tracking Auto Framing
<b>Display FOV</b>	83.3°	87.6°	94°	70°	<b>1. Full Screen Mode:</b> 2 - 180° (H), 53° (V) <b>2. 360° All Around View Mode:</b> 360° (H), 53° (V) <b>3. Host Mode:</b> 360° (H), 120° (H), 53° (V) <b>4. Dual Host Mode:</b> 360° (H), 60° (H), 53° (V) <b>5. Single View Mode:</b> 98° (H), 58.5° (V) <b>6. Wide Angle View Mode:</b> 120° (H), 88.6° (V)	<b>1. Full Screen Mode:</b> 2 - 180° (H), 51.1° (V) <b>2. Host Mode:</b> 119.5° (H), 51.1° (V) <b>3. Dual Host Mode:</b> 46.5° (H), 47.7° (V) <b>4. Three Speaker Mode:</b> 55.8° (H), 47.3° (V), 56.9° (H), 37.1° (V) <b>5. 360° All Around View Mode:</b> * Zoom in/out 3.6X 360° (H) ~ 25.5° (H) adjustable, 49.2° (V) <b>6. Single View Mode:</b> * Zoom in/out 2.75X 119.1° (H) ~ 61.4° (H) adjustable, 84.6° (V) ~ 37.4° (V) adjustable
<b>Privacy Cover</b>	●	●	●	●		●
<b>Focus</b>	Auto/Manual	Auto/Manual	Fixed	Fixed	Fixed	Fixed

Trademarks and trade names may be used in this document to refer to either the entities claiming the marks and/or names or their products and are the property of their respective owners. All company, product and service names used are for identification purposes only. Use of these names, logos, and brands does not imply endorsement. We disclaim any interest in the marks of others. For a non-exhaustive list of trademarks that j5create references, please visit <https://en.j5create.com/pages/attribution-statements>.