

# j5create 2023

B R O C H U R E



## CONNECTED TO THE FUTURE

j5create | **CONNECTED  
TO THE FUTURE**



WHY CHOOSE j5create?




The JCD391 works with devices capable of running the latest version of Chrome OS and has been certified to meet Google's compatibility standards. Google is not responsible for the operation of this product or its compliance with safety requirements. Chromebook and the Works With Chromebook badge are trademarks of Google LLC.


WE DEVELOP. WE INNOVATE. WE CREATE.

U.S. Based Customer Care   Made in Taiwan   Limited Product Warranty   Top-Selling Brand

j5create is a team that has come together from a diverse set of backgrounds to make technology more meaningful and inclusive. We design, build, sell, and support innovative technology. We find creative ways to apply new technologies to provide computing solutions.



Worldwide safety certification



In-house R&D and in-house product design team

At j5create, we create high-tech products that help improve the way we experience our everyday lives. We do this by always designing with the customers' needs in mind. We tackle issues that affect you daily and turn to technological innovation to find solutions. We're on a mission to make your life simpler, more efficient, and more productive.

Safety and protection for your devices

- OVP (Overvoltage) Limits output voltage
- OCP (Overcurrent) Limits the current flow
- SCP (Short Circuit Protection) Protects your device against short circuits
- OTP (Over-Temperature) Regulates the internal temperature



j5create has strategic partnerships and locations conveniently located worldwide to streamline all of our processes including sales, support, and service. You can see a global list of where to purchase our products on our website at [www.j5create.com](http://www.j5create.com). We are always just an email, live chat or phone call away, so feel free to contact us with any questions, concerns or comments.

GLOBAL STRATEGIC LOCATIONS



WORK WITH THE BEST

In collaboration with the suppliers of top PC manufacturers, we create our high-performance products by using premium components and materials.



COMMITMENT TO QUALITY

From concept generation through software and hardware development, and end-product design to production, we're involved in every stage of the vertical integration process.



MAKE AN IMPACT

We aim to elevate your computing experience to be more productive, more efficient, and more convenient.



**North America**  
Sales : [sales@j5create.com](mailto:sales@j5create.com)  
Support: [service@j5create.com](mailto:service@j5create.com)  
Phone: +1-888-689-4088



**Canada**  
Sales: [sales@j5create.com](mailto:sales@j5create.com)  
Support: [service@j5create.com](mailto:service@j5create.com)  
Phone: +604-265-3568



**Europe**  
Sales: [sales@j5create.com](mailto:sales@j5create.com)  
Support: [service@j5create.com](mailto:service@j5create.com)  
Phone:  
NL | +31 (0)107 98 61 17  
UK | +44-161-302-2230  
ES | +34-935-22 25 76



**Taiwan**  
Sales: [sales@j5create.com](mailto:sales@j5create.com)  
Support: [service.tw@j5create.com](mailto:service.tw@j5create.com)

**Toll Free : 888-988-0488**  
**Sales : [sales@j5create.com](mailto:sales@j5create.com)**  
**Customer Service / Support : [service@j5create.com](mailto:service@j5create.com)**



# USB4® Triple 4K Display Multi-Port Docking Station

Developed in Collaboration with Intel®



JCD554



Double Sided Cable Storage Compartment

- Includes the latest Intel® USB4® controller ensures industry-leading quality
- Supports up to MST three 4K displays with Thunderbolt™ 4 or USB4® host laptops
- Provides 4 USB™ Ports to offer ultimate connectivity and performance: USB-C® 10Gbps with DP™ Alt mode x 1, USB™ Type-A 10Gbps x 2, and USB™ 2.0 Type-A x 1
- Integrated Gigabit Ethernet port, SD™ 4.0 card reader, and audio combo.
- Offers up to 85W of pass-through charging
- Plug & Play, compatible with Windows®
- Also supports other USB™ 3.2 host laptops and lower resolution monitors/displays

14-in-1  
Functions

# Power All Of Your Devices With The PD3.1 Superpower Dock



USB-C® Dual 4K HDMI™ Dock  
with PD 3.1 Pass Through Charging

JCD3199

- Supports dual 4K HDMI™ (4K @60Hz + 4K@30 Hz)
- Supports Power Delivery 3.1 140W power in
- Offers PD 100W to charging to host and PD 18W charging to mobile device
- Two USB™ 10Gbps and two USB™ 5Gbps ports for connecting peripherals or downstream charging
- Reliable network connectivity via the Gigabit Ethernet
- Supports 15W wireless charging
- Cable storage compartment
- Windows® and macOS® compatible





# Stunning Quality 8K Visual Experience

Conveniently connect your laptop, tablet, or phone to a high-resolution 8K display or high-refresh rate monitor.



JCD403  
USB4® 8K Multi-Port Hub  
Features USB4® Technology



JCA399  
USB-C® to 8K HDMI™ & USB™ Type-A  
with Power Delivery Adapter



JCC157  
USB-C® to HDMI™ 2.1  
8K Cable



JDC53L30  
8K Ultra High Speed UHD  
HDMI™ Cable



# Transforms Any Space Into A Professional Meeting Room

USB-C® Dual 4K  
Speakerphone Dock Pro  
**JCDS337**



USB-C® 4K  
Speakerphone Dock  
**JCDS335**



- A docking station with professional conference speakerphone
- 4 microphones array with noise reduction technology which can deliver a natural vocal sound with reduced background noise
- Supports connecting a 4K60 display (JCDS335) ; Supports connecting up to dual 4K60 display (JCDS337)
- Supports Bluetooth™ /USB™ connection
- Compatible with conferencing apps such as Amazon Chime™, BlueJeans™, Cisco®,Google Meet™, GoToMeeting®, Microsoft Teams™, Skype™, Slack™, Zoom™, and more.
- Due to macOS® limitation, JCDS337 only supports mirror Dual 4K@60Hz screen on Mac® devices.



iPresenterGo: USB-C® to HDMI™  
Display Adapter with Air Presenter Mouse  
**JCAM175**

- A multi-function display adapter with an integrated air mouse. Take your presentations to the next level!
- Supports up to 4K HDMI™ and PD 100W pass-through charging
- Compatible with USB-C mobile devices like MacBook®, laptop, and iPad®
- Using Optical Finger Navigation technology, easy control of slideshow with a swipe of finger.
- Offers black screen button, gives you complete control of your presentation

360° AI-Powered Webcam  
with Speakerphone  
**JVU368**

- 360° video conferencing camera with remote control
- Built-in omnidirectional speakerphone
- Advanced Acoustic Echo Cancellation (AEC) technology
- Automatic Gain Control (AGC) function
- Automatic Noise Reduction (ANR) reduces background noise
- Six display modes deliver exceptional viewing angles with flexibility and versatility
- Full HD 1080p video playback @ 30 Hz
- AI Functions:
  1. Smart Tracking: Tracks the presenter to ensure they remain centered.
  2. Auto Framing: Automatically adjusts the zoom to ensure all attendees are presented on camera.







# Easily Share Video, Keyboard, Mouse, Files, and other devices and functions between 2 PCs

## Windows®/Windows® Touch Collaborative Sharing Hub

Video & Touch Screen & Data Sharing

JCH462

- Share screen, files, keyboard, mouse and clipboard between two Windows® computers
- Supports Duplicate and Extend modes in virtual 2nd display
  - Movable and resizable Picture-in-Picture window when using Duplicate mode
- Share files easily by Drag & Drop across screen/PIP window or Copy & Paste
- Supports virtual multi-touch, Windows® gesture function and stylus pen when another computer is tablet
- The screen will automatically rotate and resize with the rotation of Windows® tablet when using Extend mode
- Provides 2 USB™ Type-A and 1 USB-C® ports to connect peripherals.

## USB™ Transfer Cable and Video Switch

JUC502

- Supports keyboard, mouse, clipboard and file sharing across two Windows® devices
- Screen will rotate and resize automatically to fit the screen and adjust to the current rotation of the second device when using Extended Mode while video sharing
- Supports multi-touch and USI pen for Windows® touch screen devices



## Windows®/iPad® Touch Collaborative Sharing Hub

JCH422

- Share or extend screen between Windows® and iPad®.
- Support Duplicate Display mode (iPad® to Windows®) and Extend Display mode (Windows® to iPad®).
- Support multi-touch, handwriting, and Apple® Pencil functions of iPad® in Extend Display mode.
- Movable and resizable Picture-in-Picture window when using Duplicate Display mode.
- The screen will automatically rotate and resize with the rotation of the iPad® when using Extend Display mode.



## Wireless Lavalier Microphone

- 2.4G wireless technology, ensures an ultra-long transmission distance of up to 120 meters (line-of-sight).
- Plug & Play, provides a maximum recording duration of 6 hours.
- Comes with a charging case that capable of charging the wireless lavalier microphone up to 5 times.
- Equipped with an omnidirectional MEMS microphone, picks up high-quality 360° sound.
- Wide compatibility, supporting iPhone® (JMW100L) or USB-C® devices (JMW100C) such as Android™ phones, laptops, and tablets.
- Suitable for live streaming, vlogging, online teaching, video conferences, and more.

JMW100C



JMW100L





# Take Your Streaming Production To The Next Level

## 4K60 Game Capture Station

4K@60 Capture + 4K@ 144 Passthrough

### JVA34

- 4K@60 Capture
- 4K@144 passthrough support (Uncompressed)
- No driver installation required
- HDR Passthrough: Supports resolutions up to 4K @144Hz, 2K @144Hz, 1080P @240Hz
- Ultra-low latency stream with high-performance USB-C® 3.2 connection
- LED indicator to keep track of USB™ speeds and compression rates



## Quad HDMI™ Video Capture Station

### JVA08

- 4 HDMI™ inputs for capture with 5 modes
- Full HD video and audio high performance record/playback through USB-C® 3.2 Gen 1
- Uncompressed 1080p 60 Hz capture via HDMI™
- Supports 1080p 60 Hz HDMI™ loop out (PGM out)
- 5-screen modes (one source/PIP/PBP/Quad View[1+3]/Quad View)
- 5 buttons to quickly change display settings
- Automatically remembers previous settings
- 5 volume control knobs for individual volume control on 4 HDMI™ and analog 3.5mm ports
- Easy DSLR attachment with 2 cold shoes embedded
- UVC standard, plug & play



## 4K Game Capture Station

### JVA14

- Uncompressed 4K@30 Capture + 4K@60 HDR passthrough
- Ultra-low latency stream with high-performance USB-C® 3.2 connection
- LED indicator to keep track of USB™ speeds and compression rates
- No driver installation required





# You are the key to a cleaner and pollution-free earth

**eco FRIENDLY** Made with UL certified recycled material



USB-C® to HDMI™ & USB™ Type-A  
with Power Delivery  
**JCA379E**



USB-C® Multi-Port Hub  
with Power Delivery  
**JCD373E**

## Audio Game Mixer

Audio Gaming Mixer Adapter  
**JAMX01**

- Made for listening to handheld game consoles and mobile phone calls simultaneously
- One button for changing between four modes: Gaming, USB™, Bluetooth®, and Meeting Mode
- Bluetooth® 5.0 and USB™ plug-and-play connection
- One audio connector supporting the headset with 3.5mm plug
- Built-in headphone and microphone volume switches
- Slim and portable design, compatible with most video conferencing apps



USB-C® to 4-Port  
Type-A Gen 2 Hub



**JCH341E** ○ ● ●

USB-C® to 4-Port  
Type-C & Type-A Gen 2 Hub



**JCH342E** ○ ● ●

USB-C® to 4-Port  
Type-C Gen 2 Hub



**JCH345E** ○ ● ●

**eco FRIENDLY**



## DOCKING STATIONS

Full Dock P.16-17

Mini Docks & Adapters P.20-23



## STANDS / MONITOR ARMS

P.18-19



## DISPLAY ADAPTERS

USB-C® P.24

USB™ Type-A P.25

Monitor Display Cables P.25

DP™ P.25


HDMI™ & VGA P.25



## USB™ HUBS

USB-C® P.27

USB™ Type-A P.27



## NETWORKING

Ethernet Adapters USB-C® P.26

Ethernet Adapters USB™ Type-A P.26



## CHARGERS

Wall Chargers P.28

Charging Stations P.29

Wireless Chargers P.28


Power Banks P.30



## KEYBOARD / MOUSE

Keyboard / Mouse P.31

Stylus Pen P.31



## CABLES

P.32-33

USB-C®

Data & Video Transfer



## MOBILE ACCESSORIES

P.33



## CAPTURE

P.34



## WEBCAMS

P.35



## VIDEO CONFERENCING

P.36



## WIRELESS DISPLAY

P.37





USB4® Triple 4K Multi-Port Docking Station

Developed in Collaboration with Intel®

JCD554



- HDMI™
- 4K DP™
- USB-C™ 10Gbps DP
- USB-C™
- Gigabit Ethernet
- SD™/ microSD™ 4.0
- USB™ Type-A USB™ 2.0
- USB™ Type-A 10Gbps
- Mic / Speaker

Thunderbolt™ 4 Quad Display Docking Station JTD568



- 10 Gbps USB™ 3.2 Gen 2
- 2.5G Ethernet
- Single 8K
- Dual 5K
- Quad 4K
- 98W PD
- 4K HDMI™
- 4K DP™
- USB-C™ Gen2 10Gbps
- Mic / Speaker
- 2.5 Gigabit Ethernet
- K-Slot
- SD™/ microSD™ 4.0
- USB™ Type-A 5Gbps
- USB™ Type-A 10Gbps
- USB™ Type-A with BC 1.2



USB-C® 4K HDMI™ Docking Station with Power Delivery JCD533

- Security Slot
- Single Display



- Gigabit Ethernet
- SD™/microSD™
- USB™ Type-A 10Gbps
- 4K HDMI™
- USB-C™
- Mic / Speaker

M.2 NVMe® USB-C® Gen 2 Docking Station JCD552

- HDMI™/DP™ 4K@60
- 10 Gbps USB™ 3.2 Gen 2
- M.2 Expansion SSD Slot
- Dual Display



- 4K@60 HDMI™
- 4K@60 DP™
- USB-C™ 10Gbps
- USB-C™
- Gigabit Ethernet
- SD™/microSD™
- USB™ Type-A 5Gbps
- USB™ Type-A 10Gbps

with 100W PD Adapter JCD552P



USB-C® Triple Display Docking Station JCD543

- Triple Display



with 100W PD Adapter JCD543P

USB-C® Dual HDMI™ Docking Station JCD542

- Security Slot
- Dual Display



Thunderbolt™ 4 Docking Station JTD562

- 8K Display
- 96W PD



- 40 Gbps Thunderbolt™ 4 Data Transfer
- 8K@60 4K@144 Single Monitor Mirror/Extend
- 4K@60 Dual Monitor Mirror/Extend
- 312 MB/s SD™ 4.0
- Thunderbolt™ 4 Daisy-Chain



- Gigabit Ethernet
- SD™ 4.0
- USB™ Type-A 10Gbps
- USB™ Type-A with BC 1.2
- Thunderbolt™ 4
- Mic / Speaker

USB-C® Dual 4K HDMI™ Dock with PD 3.1 Pass Through Charging JCD3199

- 140W PD 3.1
- 4K Dual Display




- 4K HDMI™
- USB-C™ PD 3.1
- USB-C™ 5Gbps
- USB-C™ 10Gbps with PD 18W
- Mic / Speaker
- Gigabit Ethernet
- SD™/ microSD™
- USB™ Type-A 5Gbps
- USB™ Type-A 10Gbps
- 15W Wireless Charging



Multi-Angle Laptop Stand

JTS127




Multi-Angle 4K Docking Stand

JTS327



Multi-Angle Dual HDMI™ Docking Stand

JTS427



Multi-Angle Stand with Docking Station for iPad Pro®

JTS224



Laptop Stand with USB™ 4-Port Hub


JTS223



Monitor Arm Dock

Single Monitor Arm with Thunderbolt™ 4 Dock

JTSA461



Ergonomic Dual-Monitor Mount

with Docking Station



JTSA302



JTSA102

Ergonomic Monitor Mount



JTSA101



with Dock



JTSA301





### USB4® Dual 4K Multi-Port Hub


Featuring Intel® USB4® Controller

JCD401 5-in-1 Functions



### USB4® 8K Multi-Port Hub

JCD403 6-in-1 Functions



4K60 ELITE

### USB-C® 10Gbps Travel Dock

JCD392 6-in-1 Functions



### USB-C® 10Gbps Mini Dock

JCD393 9-in-1 Functions



### USB-C® Triple-Monitor 10Gbps Mini Dock

JCD397 11-in-1 Functions



### USB-C® Dual 4K HDMI™ 10Gbps Mini Dock

JCD398 7-in-1 Functions



### 4K Elite USB-C® 10Gbps Multi-Adapter

JCD390 7-in-1 Functions



### USB-C® 8K HDMI™ Dock

JCD3193 9-in-1 Functions



### 4K Elite USB-C® Travel Adapter

JCD3191 5-in-1 Functions



### USB-C® 6K Premium Hub

Designed for MacBook Air® M2


JCD394 9-in-1 Functions



### 4K60 Pro USB4® Hub with MagSafe® Kit

Designed for MacBook Pro® 2021 / 2022 / 2023 and MacBook Air®(2022)

JCD395 8-in-1 Functions







USB-C® Multi-Port Hub with Power Delivery  
JCD373E 7-in-1 Functions




USB-C® to HDMI™ & USB™ Type-A with Power Delivery  
JCA379E 3-in-1 Functions




8K USB-C® to Dual HDMI™ Display Adapter  
JCA465



USB-C® PD Multi-Port Adapter  
JCD391 5-in-1 Functions




USB-C® to 4K 60 Hz HDMI™ Travel Dock for iPad Pro®  
JCD612 5-in-1 Functions



8K USB-C® to HDMI™ Triple Display Adapter  
JCA467



90W Built-in USB-C® Travel Dock  
JCDP392



8K USB-C® to HDMI™ / DP™ Triple Display Adapter  
JCA468




USB-C® to 8K HDMI™ & USB™ Type-A with Power Delivery Adapter  
JCA399



USB-C® to 4K HDMI™ Multi-Port Hub  
JCD353 6-in-1 Functions



USB-C® 3.1 SuperSpeed+ Multi-Adapter  
JCD372 5-in-1 Functions 10 Gbps



USB-C® Multi-Port Hub with Power Delivery  
JCD373 7-in-1 Functions



USB-C® Multi Adapter  
JCD383 9-in-1 Functions



USB-C® Multi Adapter  
JCD384 10-in-1 Functions



USB-C® Multi-Adapter  
JCA374 5-in-1 Functions



USB-C® Dual HDMI™ Mini Dock  
JCD381 6-in-1 Functions



USB-C® Modular Multi-Adapter with 2 Kits  
JCD375 2Kits / 9-in-1 Functions



ULTRADRIVE KIT USB-C® Multi Display Modular Dock  
JCD389 5Kits / 11-in-1 Functions



ULTRADRIVE MINIDOCK USB-C® Multi Display  
JCD348 5-in-1 Functions




USB™ 3.0 Mini Dock  
JUD380 6-in-1 Functions






USB-C®

USB-C® to 4K HDMI™ Ethernet Adapter  
JCA351



USB-C™ to VGA & HDMI™ Adapter  
JCA174




USB-C® to 4K HDMI™ Adapter with Power Delivery  
JCA152




USB-C® to 3.5mm Audio Adapter with Power Delivery  
JCA122



USB-C® Display Adapters & Cables  
JCC154G



JCC155G



JCA153G



4K@60 HDMI™

JCC153G



4K@60 HDMI™



VGA & USB™ 3.0 with Power Delivery / USB-C® to HDMI™  
JCA379



JCA140



4K DP™

JCA142



4K mini DP™

JCA153




4K HDMI™

JCA111




VGA

USB-C® to Dual HDMI™ Multi-Monitor Adapter  
JCA365



USB-C® to 4-Port HDMI™ Multi-Monitor Adapter  
JCA366



JCC111



VGA

JCA141

4K@144 DP™

USB™ Type-A

USB™ 3.0 Display Adapters  
JUA311



VGA

JUA354



4K HDMI™

JUA360



JUA365



JUA214



VGA

JUA254



HDMI™

JUA355



HDMI™


JUA350



HDMI™

Monitor Display Cables

Ultra High Speed HDMI®/™ Cable  
JDC53



Premium High Speed HDMI®/™ Cable with Ethernet  
JDC52

\* HDMI™ PREMIUM Certified  
\* Resolutions up to 4K @ 60 Hz (JDC52)  
\* Ethernet & audio return channel  
\* Length: 2m



8K / 4K DisplayPort™ Cable  
JDC42


\* DisplayPort™ 1.4 HBR3 certified (JDC43)  
\* DisplayPort™ 1.2 certified (JDC42)  
\* Resolutions up to 8K @ 60 Hz (JDC43)  
\* 4K @ 60 Hz (JDC42)  
\* Length: 1.8m (JDC42)/2m (JDC43)



DP™

DisplayPort™ Adapters & Cable

\* Plug-and-play  
\* DP++ Dual Mode DisplayPort™ Adapter (JDA134/JDA154)  
\* Active DisplayPort™ conversion (JDA114/JDA158)  
\* Resolutions up to 1920 x 1200 @ 60 Hz (JDA114)  
1920 x 1080 @ 60 Hz (JDA154/JDA134)  
4K @ 60 Hz (JDA158)  
4K @ 30 Hz (JDC158)  
\* Supports HDMI™ audio (JDA154/JDA158/JDC158)  
\* Length: 1.8m (JDC158)



HDMI™ / VGA

HDMI™ to VGA Adapter  
JDA213

\* Video + Audio  
\* Plug-and-play  
\* Supports PC resolutions up to 1920 x 1200 @ 60 Hz (WUXGA) and HDTV resolutions up to 1080p @ 60 Hz  
\* 2-channel analog audio output  
\* Reserved Micro USB™ Type B power input port



JDA213S

VGA to HDMI™ Video Adapter + Audio  
JDA214

\* Plug-and-play  
\* Video resolutions up to 1920 x 1080 @ 60 Hz  
\* Supports USB™ audio  
\* Easily transform your VGA device into an HDMI™ connection

JDA214







Ethernet Adapters | USB-C®

USB-C® to 2.5G Ethernet Adapter  
JCE145C

- Quickly add a 2.5G Multi-Gig Ethernet port
- Supports USB™ 3.1, 3.0, 2.0 and 1.1
- USB™ bus-powered
- USB-C® / USB™ Type-A



USB-C® to Gigabit Ethernet Adapter  
JCE133G

- Quickly add a Gigabit Ethernet port over USB-C®
- USB™ 3.1 and backwards compatible with USB™ 2.0/1.1
- USB™ bus-powered
- Compatible with Windows® and macOS®



USB-C® Gigabit Ethernet Adapter  
JCE131W

- Quickly add a Gigabit Ethernet port over a USB-C® connection
- Windows® 11/10/8.1
- macOS® 10.8 or later
- Linux™ kernel 3.x / 2.6.x
- Available USB-C® port
- macOS® requires driver to be downloaded from our website and installed



USB-C® to 2.5 Gigabit Ethernet Adapter  
JCE145

- Quickly add a 2.5G Multi-Gig Ethernet port
- Supports USB™ 3.1, 3.0, 2.0 and 1.1
- USB™ bus-powered
- USB-C® port



USB-C® to 5 Gigabit Ethernet Adapter  
JCE150

- Quickly add a 5G Multi-Gig Ethernet port
- Supports USB™ 3.1, 3.0, 2.0 and 1.1
- USB™ bus-powered
- USB-C® port




Ethernet Adapters | USB™ Type-A

USB™ to Ethernet Adapters  
JUE130


- Quickly add a Gigabit Ethernet port
- USB™ 3.0/2.0 plug-and-play
- USB™ bus-powered
- Windows®/Mac®/Linux®/Chrome OS™ compatible
- macOS® requires driver to be downloaded from our website and installed



wormhole<sup>switch</sup>  
Windows®/Windows® Touch  
Collaberative Sharing Hub  
JCH462



8K USB4® Travel Hub  
JCH453  
5-in-1 Functions




USB-C®

USB-C® 4-Port HUB  
JCH343



HUB + Connectivity

- \* USB™ Type-A 3.0 SD™/microSD™ slots for external memory card up to 2 TB
- \* HDMI™ resolutions up to 4K @ 30 Hz (JCH451)
- \* VGA resolutions up to 1920 x 1200 @ 60 Hz (JCH411)



USB-C® 7-Port HUB  
JCH377




USB-C® 3-Port HUB with SD™/microSD™ Card Reader  
JCH347



USB-C® 3-Port Hub with VGA  
JCH411



USB-C® Multi-Adapter  
JCH471




USB-C® 3-Port Hub with 4K HDMI™  
JCH451



USB-C® 4-port HUB  
JCH344



USB-C® 3-port HUB with Gigabit Ethernet  
JCH474



USB™ Type-A

USB™ Type-A SuperSpeed 4-port HUB  
JUH340



USB™ Type-A 3.0 SuperSpeed 7-port HUB  
JUH377



Gigabit Ethernet & HUB  
USB™ Type-A 3.0 Multi-Adapter  
JUH470






# Chargers

Quicker, Smarter, Safer, j5create high-efficiency chargers ensure that you don't run out of power, no matter where you go

## MagSafe® 15W Wireless Charging Stand

Suitable for iPhone® MagSafe®

**JUPW1107NP**



## Wood Grain 2-in-1 Magnetic Wireless Charging Stand

For iPhone® MagSafe® and AirPods®

**JUPW2106NP**



**JUPW2106**  
20W USB-C®  
Power Adapter Included



## PD Wall Chargers

### 130W GaN USB-C® 4-Port Charger

**JUP43130**

**GaN**



### 65W GaN Slim PD USB-C® 2-Port Charger

**JUP2465**

**GaN**



### 67W GaN USB-C® 2-Port Charger

**JUP2367**

**GaN**



### 65W GaN USB-C® 3-Port Charger

**JUP3365**

**GaN**



### 65W GaN USB-C® 3-Port Traveler Charger

**JUP3565CV**

**GaN**



### 65W PD USB-C® Mini Charger

**JUP1365**



### 45W PD USB-C® Mini Charger

**JUP2445**



### 40W PD USB-C® 2-Port Charger

**JUP2440**



### 20W 1-Port

**JUP1420**



## PD Laptop Chargers

### 67W GaN PD USB-C® Mini Charger

**JUP1565N**

**GaN**

with 4.5mm DC Converter  
**JUP1565**



### 185W GaN PD3.1 USB-C® 3-Port Charger

**JUP37185**

**GaN**



### 67W GaN PD USB-C® Mini Charger with 6 types of DC Connector

**JUP1565DC**

**GaN**



### 102W GaN PD USB-C® 2-Port Charger

**JUP25102**

**GaN**



### 140W GaN PD3.1 USB-C® Charger

**JUP17140**

**GaN**



### 100W PD USB-C® Super Charger

**JUP2290**




### 100W Super Charger PD 90W + USB™ Type-A 10W

**JUP2290C**



### 100W PD USB-C® Super Charger with 6 Types of DC Connector

**JUP2290DC**



### 65W PD USB-C® Charger

**JUP1265**



### 108W PD USB-C® Super Charger

**JUP34108**





Charging Stations

Power or charge all of your devices with GaN-based chargers for efficient charging



100W GaN USB-C®  
4-Port Charger with 3 AC outlets  
JUP74100

GaN



USB™ Type-C

67W GaN USB-C®  
3-Port Charger with 3 AC outlets  
JUP6467

GaN



USB™ Type-A  
USB-C

200W GaN PD3.1 USB-C®  
6-Port Charger  
JUP67200

GaN



USB™ Type-A  
USB-C  
PD 3.1

Power Bank

26800mAh PD65W  
4-Port Power Bank  
JPB26465

USB™ Type-A  
USB-C



5000mAh USB-C®  
Pocket Power Bank  
JPB5220

Charging Station for  
JPB5220  
JPB5220S



Keyboards & Mice / Stylus

j5create offers a variety of input devices, choose the keyboard that works for you.




USI Stylus Pen for Chromebook™  
JITP100

4096  
Levels of Pressure  
Sensitivity



USI | Universal  
Stylus Initiative

works with  
chromebook



Compact Wireless Keyboard  
and Mouse for Chrome OS™  
JIKBW602

works with  
chromebook

Bluetooth®

Full-Size Wireless  
Keyboard and Mouse  
JIKMW115



Full-Size USB™ Desktop  
Keyboard and Mouse  
JIKMU115





USB-C® Charging Cables

JUC28L08  
Full-Featured USB-C® Cable  
(USB4® Gen 3)  
(0.8m) 40Gbps/5A



JUC29L08  
240W Full-Featured USB-C® Cable  
(USB4® Gen 3)  
(0.8m) 40Gbps/5A



JUCX27L12  
USB4® 40Gbps Full-Featured  
USB-C® Coaxial Cable  
(1.2m/3.9ft.) 40Gbps/5A



JUCX25L18/JUCX25L30  
USB-C® 100W Sync  
& Charge Cable  
(1.8m / 5.9 ft.) / (3m / 9.8 ft.) 480 Mbps/5A



JUCX24/JUCX24L30  
USB-C® to USB-C®  
Sync & Charge Cable  
(1.8m / 5.9 ft.) / (3m / 9.8 ft.) 480 Mbps/3A



USB-C® 60W Cable  
Liquid Silicone Fast Charging Cable  
(100 cm / 3.3 ft )



JUCX17W



JUCX17C



JUCX17P



JUCX17R


ULTRA-SOFT  
SILICONE

Tangle-Free

Built to Last

Wormhole Switch™ | USB-C® Transfer Cable

wormhole switch™  
File Sharing Between  
Mac® and PC



JUC502  
USB™ 3.1



JUC501  
USB™ 3.1



JUC500  
USB™ 3.0



JUC400  
USB™ 2.0



Model	JUC501	JUC500	JUC400
Interface	USB™ 3.0 A+C	USB™ 3.0	USB™ 2.0
Operating system	Windows® to Windows® Windows® to Mac® Mac® to Mac®	Windows® to Windows® Windows® to Mac® Mac® to Mac®	Windows® to Windows® Windows® to Mac® Mac® to Mac®
Functions for the keyboard and mouse sharing			
Keyboard and mouse sharing between two devices	Yes	Yes	Yes
Hotkey Switch [Alt+S]	Yes	Yes	Yes
Keyboard sharing	Yes	Yes	Yes
Clipboard sharing			
Text sharing	Yes	Yes	Yes
Photo sharing	Yes	Yes	Yes
Data transfer			
Duplicate / Paste	Yes	Yes	Yes
Drag and Drop	Yes	Yes	Yes
Data transfer management software (File Shuttle)	Yes	Yes	

Mobile Accessories

Everything you need to make the most of your phone

Android™ USB™ Display Adapter

- Compatible with most Android™ phones
- The j5 Display Adapter App allows your phone to connect to a display
- Portable

High efficiency & low power consumption with 2 modes:

- Video mode (work for 3 hrs)
- Text mode (work for 5.5 hrs)

\* Great for Android™ phones that don't have the latest USB™ display tech.



JUA161C

JUA165C

USB-C® Dynamic Power Meter  
Charging Cable

JUCP14



6-in-1 Meter



USB-C® 3.1 to Type-A Adapter

(10 cm / 4 in.) 5Gbps/1.5A

JUCX05



10Gbps USB™ Type-A to USB-C®  
Adapter

JUCX45



10Gbps USB™ Type-A to USB-C®  
Cable

JUCX35





# Video Capture

Take gaming and live streaming to the next level



**Quad HDMI™ Video Capture Station**  
**JVA08**

**4K HDMI™ Capture Adapter**  
**JVA11**



**4K 30**  
Video Capture

**4K Game Capture Station**  
**JVA14**



**4K 30** Video Capture  
**4K60 HDR** Video Passthrough  
**60W PD** Power Delivery  
**Ultra-Low Latency**

**Dual HDMI™ Video Capture**  
**JVA06 EFP**



No driver required  
PIP PBP  
Chroma Key

HDMI

**Video Capture USB™ Hub**  
**JVA01**



**1080p 30** Video Capture  
**60W PD** Power Delivery  
4K HDMI™  
USB™ Type-A 5Gbps  
Mic / Speaker

**Live Capture Adapter**  
**JVA02**



**1080p 60** Video Capture  
**60W PD** Power Delivery



**1080p 60** Video Capture  
**Audio Mixer**  
**60W PD** Power Delivery

# Webcams

Anticipate your current & future workplace needs



**2K AI-Powered Webcam with Wireless Microphone**  
**JVU300**

Webcam / Document Camera  
Auto / Manual Focus  
1440p 60fps Quad High Definition  
1080p 60fps High Definition  
USB-C / USB™ Type-A  
9:16 vertical view shooting  
AI Tracking  
Tripod-ready Mount

**USB™ 4K ULTRA HD Webcam**  
**JVU430**

**4K 30** Resolution  
**1080p 60** Resolution  
Privacy Cover  
**F/2.0** Aperture Low Light Enhancement  
Built-in Microphone



**USB™ 4K ULTRA HD Webcam with 5x Digital Zoom Remote Control**  
**Model: JVCU435**

**4K 30** Resolution  
Privacy Cover  
**F/1.6** Aperture Low Light Enhancement  
**5X** Digital Zoom  
Built-in Microphone

**HD Webcam with Auto & Manual Focus Switch**  
**JVU250**



**2-in-1**  
Webcam / Document Camera  
Auto / Manual Focus  
**1080p** Resolution  
Tripod-ready Mount  
USB-C / USB™ Type-A

**USB™ HD Webcam**  
**Model: JVCU100**



**1080p** Resolution  
**F/2.4** Aperture Low Light Enhancement  
**H.264** Hardware Acceleration  
Built-in Microphone



Video Conferencing

The perfect companion for every conversation

360°AI-Powered Webcam with Speakerphone JVU368

- Smart Tracking / Auto Framing
- Native AI Plug & Play
- Compatible with Windows® and Mac®
- HDR
- Vivid Video with HDR support
- Crystal Clear Audio

1 ONE-STOP Solution for Video Conference



Six Display Modes

Full Screen Modes

Full Screen 360°

360° All Around View (Zoom in/Out)

Host Modes

Host Mode

Dual Host Mode

Three Speakers Mode

Single View Mode (Zoom in/Out)

Horizontal Perspective

Host Selection Touch Control

Vertical 90° Rotation

Bluetooth™/USB™ Conference Speakerphone JSS820



- AEC
- ANR
- AGC
- 8 hrs.
- 360°
- Rechargeable battery

360° All Around Webcam Model: JVCU360

- 1080p Resolution
- Six Display Modes
- Host Selection Touch Control



USB-C® Dual 4K Speakerphone Dock Pro JCDS337

- Built-in Speaker and Microphones
- MST Dual 4K60 HDMI™
- USB™ Type-A 10Gbps
- USB-C® 10Gbps
- Power Delivery



USB-C® 4K Speakerphone Dock JCDS335

- Built-in Speaker and Microphones
- 4K60 HDMI™
- USB™ Type-A 10Gbps
- USB-C® 10Gbps
- Power Delivery



Wireless Displays

Wirelessly cast your favorite shows and movies



ScreenCast Wireless Display Adapter JVAW56

- 1080p Resolution



USB-C® Wireless Display HDMI™ Extender JVAW62

- 1080p Resolution



Wireless Display Adapter JVAW76 4K

- 4K Resolution



Wireless Display HDMI™ Extender JVAW75 4K

- 4K Resolution



Wireless Display HDMI™ Extender JVAW53

- 1080p 60 Resolution
- Ultra-Low Latency
- Up to 200 ft (60m)



Wireless Display HDMI™ 4K@60 & USB™ Extender JVAW59 4K

- 4K 60 Resolution



Wireless Display HDMI™ & USB™ Extender JVAW50

- 1080p 60 Resolution
- Ultra-Low Latency
- Up to 200 ft (60m)



Wireless Extender for USB™ Cameras / Microphones / Speakers JVW120

- 5 GHz Stable Connection
- Low-latency
- Up to 25m (82 ft)
- Supports USB™ microphones & speaker











## Docking Stations

Docking Station Comparison

				
Model No.	JCD552	JCD543	JCD542	JCD533
Name	M.2 NVMe™ USB-C® Gen 2 Docking Station	USB-C® Triple Display Docking Station	USB-C® Dual HDMI™ Docking Station	USB-C® 4K HDMI™ Docking Station with Power Delivery
Features	11-in-1 Functions M.2 NVMe™, Dual 4K60	13-in-1 Functions Triple display	10-in-1 Functions Dual display	9-in-1 Functions Single display
Display	4K60 Hz HDMI™ x 1 4K60 Hz DisplayPort™ x 1	4K HDMI™ x 1 4K DisplayPort™ / HDMI™ x 1 1080p VGA x 1	4K HDMI™ x 1 2K HDMI™ x 1	4K HDMI™ x 1
M.2 NVMe™	M.2 NVMe™ SSD Slot x 1			
USB™ Type-A	10Gbps x 2 5Gbps x 1	5Gbps x 2 5Gbps with BC 1.2 x 1	5Gbps x 3	5Gbps x 3
USB-C®	10Gbps x 1	5Gbps x 1		
Ethernet	●	●	●	●
SD™ & microSD™	●	●	●	●
PD Pass Through	●	●	●	●
Audio		3.5 mm combo audio jack	3.5 mm combo audio jack	3.5 mm combo audio jack
Security Lock	●		●	●

4K60 Elite Mini Dock Comparison

## Mini Docks






				
Model No.	JCD397	JCD393	JCD392	JCD391
Name	USB-C® Triple-Monitor 10Gbps Mini Dock	USB-C® 10Gbps Mini Dock	USB-C® 10Gbps Travel Dock	USB-C® PD Multi-Port Adapter
Features	11-in-1 Functions MST Triple 4K Display SuperSpeed+ 10Gbps	9-in-1 Functions 4K60, SuperSpeed + 10 Gbps	6-in-1 Functions 4K60, SuperSpeed +10Gbps	5-in-1 Functions 4K60, Works with Chromebook™ Certified
Display	4K60 Hz HDMI™ x 2 4K60 Hz DisplayPort™ x 1 <i>*Supports dual 4K60 or triple 4K30</i>	4K60 Hz HDMI™ x 1	4K60 Hz HDMI™ x 1	4K60 Hz HDMI™ x 1
USB™ Type-A	10Gbps x 2	10Gbps x 2	10Gbps x 2	5Gbps x 2
USB-C®	10Gbps x 1 5Gbps with PD pass through x 1	10Gbps x 1 5Gbps with PD pass through x 1	10Gbps with PD pass through x 1	PD pass through x 1
Ethernet	●	●	●	●
SD™ & microSD™	●	●		
PD Pass Through	●	●	●	●







## Video Capture

### Video Capture Comparison

					
Model No.	JVA14	JVA11	JVA06	JVA08	JVA01
Name	4K Gaming/Live Capture Station	A Compact 4K Capture Device	Capture 2 Channels Simultaneously	Easily Switch to 3 Different Audio Modes	A Unique USB-C® Hub With Video Capture Function
Video Capture	4K30 fps	4K30 fps	1080p60 fps	1080p60 fps	1080p30 fps
HDMI™ Input	1	1	2	1	1
Video Pass Through	HDMI™ 4K60 HDR		HDMI™ 1080p60		
PD Pass Through	Up to 60W		Up to 60W	Up to 60W	Up to 60W
HDMI™ Display					4K @ 30

### Webcam Comparison

## Webcams

						
Model No.	Model: JVU250	Model: JVU300	Model: JVU430	Model: JVCU435	Model: JVCU360	Model: JVU368
Feature	Conference/ Document Webcam With Auto/Manual Focus	AI-Powered Webcam with Wireless Mic	4K ULTRA HD Webcam	4K ULTRA HD Webcam with 5x Digital Zoom Remote Control	360° All Around Webcam	360° All Around Webcam with Speakerphone
Resolution	1080p30 Hz	1440p60 Hz	4K30 Hz 1080p60 Hz	4K30 Hz	1080p30 Hz	1080p30 Hz
AI		Smart Tracking Auto Framing				Smart Tracking Auto Framing
Display FOV	83.3°	87.6°	94°	70°	<b>1. Full screen mode:</b> 2 - 180° (H), 53° (V) <b>2. 360° all around view mode:</b> 360° (H), 53° (V) <b>3. Host mode:</b> 360° (H), 120° (H), 53° (V) <b>4. Dual host mode:</b> 360° (H), 60° (H), 53° (V) <b>5. Single view mode:</b> * Zoom in/out 3.6X 98° (H), 58.5° (V) <b>6. Wide angle view mode:</b> 120° (H), 88.6° (V)	<b>1. Full screen mode:</b> 2 - 180° (H), 51.1° (V) <b>2. Host mode:</b> 119.5° (H), 51.1° (V) <b>3. Dual Host mode:</b> 59.7° (H), 50° (V) <b>4. Three speakers Mode:</b> 64.1° (H), 48.5° (V), 83.8° (H), 47.1° (V) <b>5. 360° All Around View Mode:</b> * Zoom in/out 3.6X 360° (H) ~ 25.5° (H) <b>6. Single view mode:</b> * Zoom in/out 2.75X 119.1° (H) ~ 61.4° (H) adjustable, 84.6° (V) ~ 37.4° (V) adjustable
Privacy Cover	●	●	●	●		
Focus	Auto/Manual	Auto/Manual	Fixed	Fixed	Fixed	Fixed

Google, Chromebook, Android, Google Meet, and Chrome OS are trademarks of Google LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Bluetooth is a trademark of Bluetooth SIG, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. USB, USB-C, and USB4 are trademarks of USB Implementers Forum, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Windows, Microsoft Teams, and Skype are trademarks of Microsoft Corp., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. macOS, iOS, Mac, iPadOS, iPad Pro, MacBook Pro, MacBook Air, iPhone, iPad, iPod, MagSafe, and Apple are trademarks of Apple Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. HDMI is a trademark of HDMI Licensing Administrator, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Nintendo Switch is a trademark of Nintendo of America, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Discord is a trademark of Discord Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Amazon Chime is a trademark of Amazon Services LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. BlueJeans is a trademark of Blue Jeans Network, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Cisco is a trademark of Cisco Systems, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Facebook is a trademark of Facebook, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. GoToMeeting is a trademark of LogMeIn, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Slack is a trademark of Slack Technologies, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Zoom is a trademark of Zoom Video Communications, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Steam Deck is a trademark of Valve Corporation, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. NVMe is a trademark of NVM Express Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. DP and DisplayPort are trademarks of Video Electronics Standards Association, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. SD and microSD are trademarks of SD-3, LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Linux is a trademark of The Linux Foundation, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and/or names or their products and are the property of their respective owners. All company, product and service names used are for identification purposes only. Use of these names, logos, and brands does not imply endorsement. We disclaim any interest in the marks of others.