



j5create®



ASIA

+886-2-2269-5533


EUROPE

+31 10 798-6117

AMERICAS

+1 (888) 988-0488

2022 WORK SMARTER



j5create®

j5create.com: 🌐

sales@j5create.com: ✉️

KaiJet Technology International Limited, Inc.

Quality in Every Detail

- Docking Stations / Display Adapters
- Monitor Stands / Networking / USB™ Hubs
- Chargers / Cables / Video Capture
- Mobile Accessories / Webcams
- Wireless Display / Enterprise & Education




WHY CHOOSE j5create?



U.S. Based Customer Care
 Made in Taiwan
 Limited Product Warranty
 Top-Selling Brand

WE DEVELOP. WE INNOVATE. WE CREATE.

j5create is a team that has come together from a diverse set of backgrounds to make technologies more meaningful and inclusive. We design, build, sell, and support innovative technology. We find creative ways to apply new technologies to provide computing solutions.



QUALITY IN EVERY DETAIL



WORK WITH THE BEST

In collaboration with the suppliers of top PC manufacturers, we create our high-performance products by using premium components and materials.



COMMITMENT TO QUALITY


From concept generation through software and hardware development, and end-product design to production, we're involved in every stage of the vertical integration process.



MAKE AN IMPACT

We aim to elevate your computing experience to be more productive, more efficient, and more convenient.

Worldwide safety certification



In-house R & D team, in-house product design team and U.S. based customer service team

j5create is committed to customer satisfaction. We have a dedicated U.S. based technical support team waiting to assist you. We strive to stay ahead of ever changing technological needs through continuous improvements and suggestions from you.

Safety and protection for your devices

- OVP (Overvoltage) Limits output voltage
- OCP (Overcurrent) Limits the current flow
- SCP (Short Circuit Protection) Protects your device against short circuits
- OTP (Over-Temperature) Regulates the internal temperature



j5create has strategic partnerships and locations conveniently located worldwide to streamline all of our processes including sales, support, and service. You can see a global list of where to purchase our products on our website at www.j5create.com. We are always just an email, live chat or phone call away, so feel free to contact us with any questions, concerns or comments.

North America
 Sales : sale@j5create.com
 Support: service@j5create.com
 Phone: +1-888-689-4088

Taiwan
 Sales: sales@j5create.com
 Support: service.tw@j5create.com

Canada
 Sales: sales@j5create.com
 Support: service@j5create.com
 Phone: +604-265-3568

Toll Free : 888-988-0488
Sales : sales@j5create.com
Customer Service / Support : service@j5create.com

Europe
 Sales: sales@j5create.com
 Support: service@j5create.com
 Phone:
 NL | +31 (0)107 98 61 17
 UK | +44-161-302-2230
 ES | +34-935-22 25 76

GLOBAL STRATEGIC LOCATIONS



Bluetooth® / USB™ Conference Speakerphone

JSS820

• **Features**


- Built-in 360° omnidirectional microphone
- Portable design with battery
- Bluetooth™ / USB™ connection
- Crystal clear high-quality sound
- Digital signal processing technologies:
 - Acoustic echo cancellation
 - Noise reduction
 - Auto Gain Control

360° All Around Webcam with Speakerphone

JVU368

• **Features**

- 360° video conferencing camera with remote control
 - Built-in omnidirectional speakerphone
- Advanced Acoustic Echo Cancellation (AEC) technology
 - Automatic Gain Control (AGC) function
- Automatic Noise Reduction (ANR) reduces background noise
- Six display modes deliver exceptional viewing angles with flexibility and versatility
 - Full HD 1080p video playback @ 30 Hz



Four omnidirectional microphones and 5W speaker




Vertical 90° Rotation



Horizontal Perspective



Host Selection Touch Control



ScreenWave™ Wireless Presentation System

JWR1000



• Features

- Plug & Play
- Host control
- Cross platform wireless presentations
- Split screen (up to 4 sections)

• Specifications

- Supports 1080p input (TX), 4K output (RX)
- Supports 802.11ax
- TX supports HDMI™ input

Wireless Camera Extender

JVW120



• Features

- Low-latency audio and video transmission via USB™
- Converts a wired USB™ webcam to a wireless one
- Provides support for webcams with microphones
- Wireless transmission distance can reach up to 82 ft. (25m)
- Built-in 5 GHz ensures a stable connection
- Supports H.264 and MJPEG video formats
- Compatible with Windows®, macOS®, Chrome OS™, and Android™

USB4™ Dual 4K Multi-Port Hub & Docking Station Featuring Intel® USB4™ Controller

JCD401
5-in-1
FUNCTIONS



JCD402
14-in-1
FUNCTIONS



USB-C® to HDMI™ 2.1 8K Cable & Adapter

JCC157




JCA157



4K / 8K HDMI™ AOC Cable



JDCA52L40 (40m)
JDCA52L20 (20m)



JDCA53L40 (40m)
JDCA53L20 (20m)


Audio Gaming Mixer Adapter

JAM01



wormhole_{switch}[™] USB[™] Transfer Cable and Video Switch

JUC502




- **Features**
 - Designed to playback audio from a Nintendo Switch™ while simultaneously calling a smartphone
 - Bluetooth® connection for mobile phone
 - Three different modes


- **Specifications**
 - Audio : CTIA / OMTP
 - Bluetooth® 5.0
 - USB™ Audio : USB™ 2.0 Stereo 48K

• **Features**

- Supports keyboard, mouse, clipboard and file sharing across two Windows® devices
- Provides both a Full Screen or Picture-in-Picture (PIP) window when using Duplicate Mode while video sharing
- Screen will rotate and resize automatically to fit the screen and adjust to the current rotation of the second device when using Extended Mode while video sharing
- Supports multi-touch and USI pen for Windows® touch screen devices



- **Includes**
USB-C® to Type-A Adapter



DOCKING STATIONS

Full Dock P.12-13



Mini Dock P.16-17



Powered Dock P.13



STANDS

P.14-15



DISPLAY ADAPTERS

USB-C® P.18



USB™ Type-A P.19



Monitor Display Cables P.19



DP™ P.19



HDMI™ & VGA P.19



USB™ HUBS

USB-C® P.21



USB™ Type-A P.21



NETWORKING

Ethernet Adapters USB-C® P.20



Ethernet Adapters USB™ Type-A P.20



CHARGERS

Wall Chargers P.22



Charging Stations P.22



KEYBOARD / MOUSE

Keyboard / Mouse P.23



Stylus Pen P.23



CABLES

P.24-25

USB-C®



Lightning®



Wormhole Switch™



MOBILE ACCESSORIES

P.25



CAPTURE

P.26



WEBCAMS

P.27-29



WIRELESS DISPLAY



P.29





100W Power Delivery Pass-Through
Connect Your Devices
Anti-Theft Protection

M.2 NVMe® USB-C® Gen 2 Docking Station JCD552



USB-C® Triple Display Docking Station JCD543



USB-C® 4K HDMI™ Docking Station with Power Delivery JCD533




USB-C® Dual HDMI™ Docking Station JCD542



Docking Stations

Transform your laptop into a full-sized work station


Docking Station for Chromebook™ JCD547




Thunderbolt™ 4 Hub / Docking Station JTH560



JTD562




90W Built-in USB-C® Travel Dock JCDP392




USB™ Type-A Boomerang Station JUD481



Mini Ultra Station JUD531




Multi-Angle Laptop Stand JTS127



Multi-Angle Dual HDMI™ Docking Stand JTS427



Multi-Angle 4K Docking Stand JTS327





Stands

Multi-Angle iPad Pro® Stand with Docking Station JTS224



Laptop Stand with USB™ Hub JTS223



USB4™ Dual 4K Multi-Port Hub

Featuring Intel® USB4™ Controller
JCD401



5-in-1 FUNCTIONS

60W Power Delivery Dual Display

Mini Docks

Be productive on the go. Use the port you have to add the ports you need.

USB-C® to 4K HDMI™ Multi-Port Hub

JCD353
6-in-1 Functions



USB-C® 3.1 SuperSpeed+ Multi-Adapter

JCD372
7-in-1 Functions


10 Gbps



USB-C® 3.1 SuperSpeed+ Multi-Adapter

JCD373
7-in-1 Functions

60W Power Delivery



USB-C® 10Gbps Mini Docks

4K60 ELITE USB4™ Ready E-Mark Chip

JCD392 6-in-1 Functions



JCD393 9-in-1 Functions



JCD397 11-in-1 Functions

MST Display



- 4K HDMI™
- Ethernet
- USB™ Type-A 10Gbps
- USB-C*

- 4K@60 HDMI™
- Ethernet
- SD™/microSD™
- USB™ Type-A 10Gbps
- 5G
- 10G
- USB-C*

- 4K@60 DP™
- 4K@60 HDMI™
- Ethernet
- SD™/microSD™
- USB™ Type-A 10Gbps
- 5G
- 10G
- USB-C*

- 4K HDMI™
- USB™ 3.2 Type-A
- USB-C*
- SD™/microSD™

- 4K HDMI™
- USB™ Type-A
- 10G
- USB-C*
- USB-C*
- SD™/microSD™

- 4K HDMI™
- Mic / Speaker
- USB™ Type-A
- USB-C*
- SD™/microSD™

USB-C® Multi Adapter

JCD383
9-in-1 Functions



USB-C® Multi Adapter

JCD384
10-in-1 Functions



USB-C® Multi-Adapter

JCA374
5-in-1 Functions



USB-C® Dual HDMI™ Mini Dock

JCD381
6-in-1 Functions

Dual Display



- Fast Charging 2.4Amps
- 4K HDMI™
- USB™ Type-A
- 5G+
- USB-C*
- Ethernet
- SD™/microSD™

- 60W Power Delivery
- 4K HDMI™
- USB™ Type-A
- Ethernet
- 5G+
- USB-C*
- SD™/microSD™
- VGA

- 60W Power Delivery
- 4K HDMI™
- USB™ Type-A
- Ethernet
- USB-C*

- 60W Power Delivery
- HDMI™
- USB™ Type-A
- Ethernet
- USB-C*

USB-C® PD Multi-Port Adapter for Chromebook™

JCD391
5-in-1 Functions

4K60 ELITE



86W Power Delivery

works with chromebook

USB-C® to 4K 60 Hz HDMI™ Travel Dock for iPad Pro®

JCD612

Flush Mount



- 4K@60 HDMI™
- Ethernet
- USB™ Type-A
- 5G
- USB-C*

- 4K@60 HDMI™
- USB™ Type-A
- 5G
- Mic / Speaker
- SD™/microSD™

USB-C® Modular Multi-Adapter with 2 Kits

JCD375
2Kits / 9-in-1 Functions

for Pro 3.0 charging 100W



ULTRADRIVE™ KIT USB-C® Multi Display Modular Dock

JCD389
5Kits / 11-in-1 Functions

DESIGN AWARD 2020

Triple 4K Display



ULTRADRIVE™ MINIDOCK


JCD348
5-in-1 Functions



USB™ 3.0 Mini Dock

JUD380
6-in-1 Functions

Dual Display HDMI™ & VGA



- 2 Kits
- Ethernet
- SD™/microSD™
- USB™ Type-A
- 10G
- USB-C*
- USB-C*
- 4K HDMI™

- 5 Kits
- 4K HDMI™
- Ethernet
- SD™/microSD™
- mDP™
- VGA
- USB™ Type-A
- 5G
- USB-C*
- USB-C*

- USB™ Type-A
- SD™/microSD™

- HDMI™
- USB™ Type-A
- VGA
- Ethernet

Mini Docks


Be productive on the go. Use the port you have to add the ports you need.

USB-C®

USB-C® to Dual HDMI™ Multi-Monitor Adapter JCA365



USB-C® to 4-Port HDMI™ Multi-Monitor Adapter JCA366



USB-C® to 4K HDMI™ Ethernet Adapter JCA351



USB-C™ to VGA & HDMI™ Adapter JCA174



USB-C® Display Adapters & Cables

JCC154G





JCC155G



JCA153G



JCC153G




VGA & USB™ 3.0 with Power Delivery / USB-C® to HDMI™

JCA378



JCA379



JCA175



JCA140



JCA142



JCA153



JCA111



JCC111



JCA141



USB™ Type-A

USB™ 3.0 Display Adapters



USB™ 2.0 Display Adapters

Monitor Display Cables

Ultra High Speed HDMI™ Cable JDC53



- 8K 60 Hz
- 4K 120 Hz
- HDR Dynamic
- 48 Gbps
- eARC Support
- Dolby Vision™

Ultra HD 4K HDMI™ Cable

- * HDMI™ 2.0 - certified
- * Resolutions up to 4K @ 60 Hz (JDC52)
- * Ethernet & audio return channel
- * Length: 2m

8K / 4K DisplayPort™ Cable

- * DisplayPort™ 1.4 HBR3 certified (JDC43)
- * DisplayPort™ 1.2 certified (JDC42)
- * Resolutions up to 8K @ 60 Hz (JDC43)
- * 4K @ 60 Hz (JDC42)
- * Length: 1.8m (JDC42)/2m (JDC43)

DP™

DisplayPort™ Adapters & Cable

- * Plug-and-play
- * DP++ Dual Mode DisplayPort™ Adapter (JDA134/JDA154)
- * Active DisplayPort™ conversion (JDA114/JDA158)
- * Resolutions up to 1920 x 1200 @ 60 Hz (JDA114)
- * 1920 x 1080 @ 60 Hz (JDA154/JDA134)
- * 4K @ 60 Hz (JDA158)
- * 4K @ 30 Hz (JDC158)
- * Supports HDMI™ audio (JDA154/JDA158/JDC158)
- * Length: 1.8m (JDC158)



HDMI™ / VGA

HDMI™ to VGA Adapter

- * Video + Audio
- * Plug-and-play
- * Supports PC resolutions up to 1920 x 1200 @ 60 Hz (WUXGA) and HDTV resolutions up to 1080p @ 60 Hz
- * 2-channel analog audio output
- * Reserved Micro USB™ Type B power input port

VGA to HDMI™ Video Adapter + Audio

- * Plug-and-play
- * Video resolutions up to 1920 x 1080 @ 60 Hz
- * Supports USB™ audio
- * Easily transform your VGA device into an HDMI™ connection





Networking

Driver-free USB™ adapter for immediate network expansion

USB™ Hubs

High-speed peripheral connectivity & port expansion

Ethernet Adapters | USB-C®

USB-C® to 2.5 Gigabit Ethernet Adapter JCE145



- * Quickly add a 2.5G/1G/100M Ethernet port
- * Supports USB™ 3.1, 3.0, 2.0 and 1.1
- * USB™ bus-powered
- * USB-C® port

USB-C® to 5 Gigabit Ethernet Adapter JCE150

- * Quickly add a 5G/2.5G/1G/100M Ethernet port
- * Supports USB™ 3.1, 3.0, 2.0 and 1.1
- * USB™ bus-powered
- * USB-C® port

USB-C® to Gigabit Ethernet Adapter JCE133G

- * Quickly add a Gigabit Ethernet port over USB-C®
- * USB™ 3.1 and backwards compatible with USB™ 2.0/1.1
- * USB™ bus-powered
- * Compatible with Windows® and macOS®



Ethernet Adapters | USB™ Type-A

USB™ to Ethernet Adapters


- * Quickly add a 10/100 Mbps or Gigabit Ethernet port
- * USB™ 3.0/2.0 plug-and-play
- * USB™ bus-powered
- * Windows®/Mac®/Linux®/Chrome OS™ compatible



JUE130



JUE125



USB-C®


USB-C® 4-Port HUB JCH343



USB-C® 7-Port HUB JCH377




USB-C® Multi-Adapter JCH471



HUB + Connectivity

- * USB™ Type-A 3.0 SD™/microSD™ slots for external memory card up to 2 TB
- * HDMI™ resolutions up to 4K @ 30 Hz (JCH451)
- * VGA resolutions up to 1920 x 1200 @ 60 Hz (JCH411)



USB-C® 3-Port HUB with SD™/microSD™ Card Reader JCH347



USB-C® 3-Port Hub with VGA JCH347



USB-C® 3-Port Hub with & 4K HDMI™ JCH451



USB-C® 4-port HUB JCH344




USB-C® 3-port HUB with Gigabit Ethernet JCH474



USB™ Type-A

USB™ Type-A SuperSpeed 4-port HUB JUH340



USB™ Type-A 3.0 SuperSpeed 7-port HUB JUH377



Gigabit Ethernet & HUB USB™ Type-A 3.0 Multi-Adapter JUH470





Chargers

Quicker, Smarter, Safer, j5create high-efficiency chargers ensure that you don't run out of power, no matter where you go.



Keyboard & Mouse / Stylus


j5create offers a variety of input devices, choose the keyboard that works for you.

Extension Cords

Cord With 47W USB™ Fast Charging Ports
JUPAC345



Extension Cord With 48W USB™ Fast Charging Ports
JUPAC648



PD Wall Chargers



20W 1-Port
JUP1420



USB-C®

65W 1-Port
JUP1365



GaN

USB-C®

45W 2-Port
JUP2445



USB™ Type-A
USB-C®

PD Laptop Chargers

67W GaN PD USB-C® Mini Charger with 4.5mm DC Converter
JUP1565



GaN

USB-C®
4.5mm DC

100W PD USB-C® Super Charger
JUP2290



USB-C®
USB™ Type-A

108W PD USB-C® Super Charger
JUP34108



USB-C®
100W
USB™ Type-A
2.4A

USI Stylus Pen for Chromebook™
JITP100



4096 Levels of Pressure Sensitivity



Compact Wireless Keyboard and Mouse for Chrome OS™
JIKBW602



Bluetooth®

Universal Multi-Device Wireless Keyboard
JIKW603

Bluetooth®



Full-Size Wireless Keyboard and Mouse
JIKMW115



Cables

Charging, Sync, File Transfer. We've got you covered.

USB-C® Charging Cables

JUCX24
USB-C® 2.0 60W Cable
(1.8m) 480 Mbps/3A

JUCX25L18/JUCX25L30
USB-C® 2.0 100W Cable
(1.8m/3m) 480 Mbps/5A

JUCX27L10
PD3.1 240W Cable
(1m) 10 Gbps/5A

JUCX28L08
USB4™ Certified Cable
(0.8m) 40 Gbps/5A

USB-C® Dynamic Power Meter Charging Cables

JUCP15
6-in-1 Meter
USB-C® to Right Angle USB-C®
Direction | Amp | Voltage | mA·h | Timer | Watt

JUCP14
6-in-1 Meter
USB-C® to USB-C®
Direction | Amp | Voltage | mA·h | Timer | Watt

JUCX05
USB-C® 3.1 Adapter
(4 in./10 cm) 5 Gbps/1.5A

Thunderbolt™ 3 Cables


JTCX03
3.3 ft/100 cm
Active
UP TO 40 Gbps

JTCX01
1.65 ft/50 cm
UP TO 40 Gbps

JTCX02
3.3 ft/100 cm
UP TO 20 Gbps

Wormhole Switch™ | USB-C® Transfer Cable

wormhole switch
File Sharing Between Mac® and PC



JUC501
USB™ 3.1

JUC500
USB™ 3.0

JUC400
USB™ 2.0



Model	JUC501	JUC500	JUC400
Interface	USB™ 3.0 A+C	USB™ 3.0	USB™ 2.0
Operating system	Win® to Win® Win® to Mac® Mac® to Mac®	Win® to Win® Win® to Mac® Mac® to Mac®	Win® to Win® Win® to Mac® Mac® to Mac®
Functions for the keyboard and mouse sharing			
Keyboard and mouse sharing between two devices	Yes	Yes	Yes
Hotkey Switch [Alt+S]	Yes	Yes	Yes
Keyboard sharing	Yes	Yes	Yes
Clipboard sharing			
Text sharing	Yes	Yes	Yes
Photo sharing	Yes	Yes	Yes
Data transfer			
Duplicate / Paste	Yes	Yes	Yes
Drag and Drop	Yes	Yes	Yes
Data transfer management software (File Shuttle)			
	Yes	Yes	

Lightning®

3-in-1 Charging Sync Cables

Lightning®+USB-C®+Micro-B

JMLC11



Rose
Gray

USB-C® to Lightning® Cables

JALC15

JLC15



90°
Right Angle
White
Black



Mobile Accessories

Everything you need to make the most of your phone

Android™ USB™ Display Adapter

- Compatible with most Android™ phones
- The j5 Display Adapter App allows your phone to connect to a display
- Portable

High efficiency & low power consumption with 2 modes:

- Video mode (work for 3 hrs)
- Text mode (work for 5.5 hrs)

JUA161C



VGA

JUA165C



HDMI™



HDR Passthrough

4K60 Hz HDR
2K144 Hz HDR
1080p 240 Hz HDR

Capture

4K30 FPS
2K60 FPS
1080p 120 FPS



Video Capture

Take gaming and live streaming to the next level

Webcams

Anticipate your current & future workplace needs

4K HDMI™ Capture Adapter JVA11



4K 30
Video Capture

4K Game Capture Station JVA14



4K 30 Video Capture
4K60 HDR Video Passthrough
60W PD Power Delivery
Ultra-Low Latency

USB™ 4K ULTRA HD Webcam with 5x Digital Zoom Remote Control Model: JVCU435



4K 30 Resolution
Privacy Cover
F/1.6 APERTURE Low Light Enhancement
5X Digital Zoom
Built-in Microphone

Dual HDMI™ Video Capture JVA06 EFP



No driver required PIP PBP
Chroma Key

HDMI

Video Capture USB™ Hub JVA01



1080P 30 Video Capture
60W PD Power Delivery
4K HDMI™ USB™ Type-A Mic / Speaker

USB™ 4K ULTRA HD Webcam JVU430



4K 30 Resolution
1080P 60 Resolution
Privacy Cover
F/2.0 APERTURE Low Light Enhancement
Built-in Microphone

Live Capture Adapter JVA02



1080P 60 Video Capture
60W PD Power Delivery



USB™ HD Webcam Model: JVCU100

1080P 30 Resolution
F/2.4 APERTURE Low Light Enhancement
H.264 Hardware Acceleration
Built-in Microphone

Customize Your Webcam Settings
The JVCU Series Companion App is a free utility tool available for download.



1080P 60 Video Capture
Audio Mixer
60W PD Power Delivery



Webcam Speakerphones

The perfect companion for every conversation



Wireless Displays

Anticipate your current & future workplace needs

360° All Around Webcam with Speakerphone JVU368

- 1080P 30 Resolution
- Six Display Modes
- Host Selection Touch Control
- Speakerphone (AGC/ANR/AEC)
- Remote Control
- 180° Single View (Zoom in/Out)



Six Display Modes

<p>For Full Screen</p> <p>Full Screen 360°</p> <p>360° All Around View (Zoom in/Out)</p> <p>Horizontal Perspective</p>	<p>For Host</p> <p>Host Mode</p> <p>Dual Host Mode</p> <p>Three Speakers Mode</p> <p>Host Selection Touch Control</p>	<p>For Single View</p> <p>Single View Mode 180° (Zoom in/Out)</p> <p>Vertical 90° Rotation</p>
---	--	---

360° All Around Webcam Model: JVCU360

- 1080P 30 Resolution
- Six Display Modes
- Host Selection Touch Control



USB™ Conference Speakerphone JSS810

- Speakerphone (AGC/ANR/AEC)



ScreenCast

Wireless Display Adapter JVAW56



- 1080P Resolution

USB-C® Wireless Display HDMI™ Extender JVAW62



- 1080P Resolution

Wireless Display Adapter JVAW76 4K



- 4K Resolution

Wireless Display HDMI™ Extender JVAW53



- 1080P 60 Resolution
- Ultra-Low Latency
- Up to 200 ft (60m)

Wireless Display HDMI™ & USB™ Extender JVAW50



- 1080P 60 Resolution
- Ultra-Low Latency
- Up to 200 ft (60m)

Wireless Display HDMI™ 4K@60 & USB™ Extender JVAW59 4K



- 4K 60 Resolution







Docking Stations

Docking Station Comparison

4K60 Elite Mini Dock Comparison

Mini Docks

				
Model No.	JCD552	JCD543	JCD542	JCD533
Name	M.2 NVMe™ USB-C® Gen 2 Docking Station	USB-C™ Triple Display Docking Station	USB-C® Dual HDMI™ Docking Station	USB-C® 4K HDMI™ Docking Station with Power Delivery
Features	11-in-1 Functions M.2 NVMe™, Dual 4K60	13-in-1 Functions Triple display	10-in-1 Functions Dual display	9-in-1 Functions Single display
Display	4K@60Hz HDMI™ x 1 4K@60Hz DisplayPort™ x 1	4K HDMI™ x 1 4K DisplayPort™ / HDMI™ x 1 1080p VGA x 1	4K HDMI™ x 1 2K HDMI™ x 1	4K HDMI™ x 1
M.2 NVMe™	M.2 NVMe™ SSD Slot x 1			
USB™ Type-A	10Gbps x 2 5Gbps x 1	5Gbps x 2 5Gbps with BC 1.2 x 1	5Gbps x 3	5Gbps x 3
USB-C™	10Gbps x 1	5Gbps x 1		
Ethernet	●	●	●	●
SD™ & microSD™	●	●	●	●
PD Pass Through	●	●	●	●
Audio		3.5 mm combo audio jack	3.5 mm combo audio jack	3.5 mm combo audio jack
Security Lock	●		●	●

				
Model No.	JCD397	JCD393	JCD392	JCD391
Name	USB-C® Triple-Monitor 10Gbps Mini Dock	USB-C® 10Gbps Mini Dock	USB-C® 10Gbps Travel Dock	USB-C® PD Multi-Port Adapter
Features	11-in-1 Functions MST Triple 4K Display SuperSpeed+ 10Gbps	9-in-1 Functions 4K60, SuperSpeed + 10 Gbps	6-in-1 Functions 4K60, SuperSpeed +10Gbps	5-in-1 Functions 4K60 Works with Chromebook Certified
Display	4K @ 60 Hz HDMI™ x 2 4K @ 60 Hz DisplayPort™ x 1 <i>*Supports dual 4K60 or MST triple 4K30</i>	4K @ 60 Hz HDMI™ x 1	4K @ 60 Hz HDMI™ x 1	4K @ 60 Hz HDMI™ x 1
USB™ Type-A	10Gbps x 2	10Gbps x 2	10Gbps x 2	5Gbps x 2
USB-C®	10Gbps x 1 5Gbps with PD pass through x 1	10Gbps x 1 5Gbps with PD pass through x 1	10Gbps with PD pass through x 1	
Ethernet	●	●	●	●
SD™ & microSD™	●	●		
PD Pass Through	●	●	●	●



CAPTURE

Video Capture Comparison

Webcam Comparison

WEBCAMS

				
Model No.	JVA14	JVA06	JVA02	JVA01
Name	4K Game Capture Station	Dual HDMI™ Video Capture	Live Capture Adapter	Video Capture USB™ Hub
Video Capture	4K @ 30	1080p @ 60	1080p @ 60	1080p @ 30
HDMI™ Input	1	2	1	1
Video Pass Through	HDMI™ 4K @ 60 HDR	HDMI™ 1080p @ 60		
PD Pass Through	Up to 60W	Up to 60W	Up to 60W	Up to 60W
HDMI™ Display				4K @ 30

				
Model No.	Model: JVCU100	Model: JVCU360	Model: JVCU435	JVU430
Feature	F/2.4 aperture lens and high-sensitivity image sensor	360° video camera with omnidirectional microphone	Includes remote control for 5x digital zoom & ePTZ	Offering up to 60 FPS for videos with no motion artifacts.
Resolution	1080p	1080p	4K	4K
Maximum Refresh Rate	30 Hz	30 Hz	30 Hz	1080p @ 60 Hz, 4K @ 30 Hz
Display FOV	82°	1. Full screen mode: 2 - 180° (H), 53° (V) 2. 360° all around view mode: 360° (H), 53° (V) 3. Host mode: 360° (H), 120° (H), 53° (V) 4. Dual host mode: 360° (H), 60° (H), 53° (V) 5. Single view mode: 98° (H), 58.5° (V) 6. Wide angle view mode: 120° (H), 88.6° (V)	70°	87°
Privacy Cover			●	●
Microphone	Single	Omnidirectional microphone	Dual	Dual

Windows is a trademark of Microsoft Corp., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. macOS, iOS, iPad Pro, Mac, iPhone, iPad, iPod, Lightning, and Apple are trademarks of Apple Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Android, Chrome OS, and Chromebook are trademarks of Google LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Bluetooth is a trademark of Bluetooth SIG, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. USB, USB4, and USB-C are trademarks of USB Implementers Forum, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Intel and Thunderbolt are trademarks of Intel Corporation, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. HDMI is a trademark of HDMI Licensing Administrator, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Nintendo Switch is a trademark of Nintendo of America, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. DP, mDP, and DisplayPort are trademarks of Video Electronics Standards Association, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. SD and microSD are trademarks of SD-3, LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Dolby Vision is a trademark of Dolby Laboratories, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Linux is a trademark of The Linux Foundation, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. NvMe is a trademark of NVM Express Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and/or names or their products and are the property of their respective owners. All company, product and service names used are for identification purposes only. Use of these names, logos, and brands does not imply endorsement. We disclaim any interest in the marks of others.